



# HPE0-S60<sup>Q&As</sup>

Delta - HPE Compute Solutions

**Pass HP HPE0-S60 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s60.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

DRAG DROP

Match each HPE Synergy logical component with the definition.

Select and Place:

Component		Definition
Enclosure group		Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures.
Logical enclosure		A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology.
Logical interconnect		A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure.
Logical interconnect group		Contains the configuration intended for a set of physical enclosures.

Correct Answer:

Component		Definition
	Logical interconnect group	Acts as a recipe for creating a group that represents the available networks, uplink sets, and interconnect settings for a set of physical interconnects in a set of enclosures.
	Logical interconnect	A single administrative entity that consists of the configuration for a set of interconnects in a single enclosure or a frame link topology.
	Enclosure group	A logical resource that defines a consistent configuration for an enclosure or a set of enclosures making up a logical enclosure.
	Logical enclosure	Contains the configuration intended for a set of physical enclosures.

**QUESTION 2**

HOTSPOT

After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.

Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.

Hot Area:



HPE Superdome Flex 280

Flag for Review

Home

nPartition >

Hardware >

Firmware

Accounts

Security

Network

Manager

Logs >

Light Mode

nPartition

1 nPartition(s)

Hardware

Critical

Firmware

1.10.252-mock

Accounts

#Accts/Role

Administrator	1
Operator	1
ReadOnly	1
Local Accounts	3

Security

Open Ports

HTTP	80
HTTPS	443, 1443
SSH	22

Network

RMC Addresses

MAC 94:40:c9:d6:01:9a

IPv4 10.229.129.18

IPv6 Stateful

Manager


Timezone: GMT

Date Thu, 29 Apr 2021

Time 00:54 GMT

Logs

Correct Answer:



### QUESTION 3

DRAG DROP

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:

Steps

- Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
- Add vCenter Server to HPE OneView for VMware vCenter Server.
- Deploy new ESXi systems using vCenter Server interface.
- Upload HPE-friendly ESXi image.

Answer Area



Correct Answer:



Steps


Answer Area

- Add vCenter Server to HPE OneView for VMware vCenter Server.
- Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
- Upload HPE-friendly ESXi image.
- Deploy new ESXi systems using vCenter Server interface.




QUESTION 4


HOTSPOT

Click the option that will allow you to change the ESXi image used In an OS Deployment Plan.

Hot Area:



Correct Answer:



**QUESTION 5**

**HOTSPOT**

An HPE Synergy customer needs to prevent a timeout and loss of communication during an external switch firmware upgrade.

Click the parameter that the customer should configure within an uplink set to meet this requirement.

Hot Area:





### Create Uplink Set ?

**General**

Name	<input type="text" value="Prod-US"/>
Consistency checking	<input type="text" value="Exact match"/>
Type	<input type="text" value="Ethernet"/>
Connection mode	Automatic
LACP timer	<input type="text" value="Short (1s)"/>
LACP load balancing	<input type="text" value="Source &amp; Destination MAC Address"/>
LACP failover trigger	<input type="text" value="All active uplinks transition to offline"/>
LACP distribute uplink ports	<input checked="" type="checkbox"/>

Correct Answer:



### Create Uplink Set ?

**General**

Name	<input type="text" value="Prod-US"/>
Consistency checking	<input type="text" value="Exact match"/>
Type	<input type="text" value="Ethernet"/>
Connection mode	Automatic
LACP timer	<input type="text" value="Short (1s)"/>
LACP load balancing	<input type="text" value="Source &amp; Destination MAC Address"/>
LACP failover trigger	<input type="text" value="All active uplinks transition to offline"/>
LACP distribute uplink ports	<input checked="" type="checkbox"/>

[Latest HPE0-S60 Dumps](#)

[HPE0-S60 VCE Dumps](#)

[HPE0-S60 Brindumps](#)