



HPE0-S60^{Q&As}

Delta - HPE Compute Solutions

Pass HP HPE0-S60 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe0-s60.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers




**QUESTION 1****HOTSPOT**


After deploying HPE Superdome Flex 280 you need to check Core Analysis Engine (CAE) Log.

Click the appropriate section in the HPE Superdome Flex 280 management interface that will allow you to complete this task.

Hot Area:



Correct Answer:



QUESTION 2

HOTSPOT

Your customer is implementing an HPE Synergy solution based on three frames.

Click each of the ports that can be used to connect satellite modules.

Hot Area:



Correct Answer:



QUESTION 3

DRAG DROP

Your customer plans to use HPE OneView for VMware vCenter Server to deploy ESXi systems. They created a server profile template that they want to use in HPE OneView.

Put the steps required to configure HPE OneView for VMware vCenter Server on the left into their correct order on the right.

Select and Place:

Steps	Answer Area
Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.	
Add vCenter Server to HPE OneView for VMware vCenter Server.	
Deploy new ESXi systems using vCenter Server interface.	
Upload HPE-friendly ESXi image.	

Correct Answer:

Steps	Answer Area
	Add vCenter Server to HPE OneView for VMware vCenter Server.
	Add HPE OneView credentials to the vCenter Server and create OS Deployment Plan.
	Upload HPE-friendly ESXi image.
	Deploy new ESXi systems using vCenter Server interface.

QUESTION 4

DRAG DROP

After HPE Superdome Flex deployment and nPar setup, you need to verify health status of HPE Superdome Flex



components.

Put the steps on the left into the coned order on the right to perform this task.

Select and Place:

Enter show health command.
Confirm health status.
Open SSH client.
Open session to RMC.

1	
2	
3	
4	

Correct Answer:

1	Open SSH client.
2	Open session to RMC.
3	Enter show health command.
4	Confirm health status.

QUESTION 5

HOTSPOT

Click the drop-down menu that will allow you to define the location of the master modules within the logical interconnect group.

Hot Area:



Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

Correct Answer:



Create Logical Interconnect Group General ?

General

Name

Logical Interconnect Group

Using the selectors below, describe the logical interconnect group to be created and then click "Select interconnects" to see the bay and interconnect choices.

Interconnect type

Enclosure count

Interconnect bay set

Redundancy

Downlink speed

Select interconnects

[Latest HPE0-S60 Dumps](#)[HPE0-S60 VCE Dumps](#)[HPE0-S60 Braindumps](#)