



HPE2-N68^{Q&As}

Using HPE Containers

Pass HP HPE2-N68 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe2-n68.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibits.

```
apiVersion: v1
kind: Service
metadata:
  name: httpd-svc
  labels:
    app: httpd
spec:
  type: NodePort
  selector:
    app: httpd
  ports:
  - name: httpd
    port: 80
```

Create New K8s Tenant

Tenant Name	<input type="text" value="TenantA"/>
Tenant Description	<input type="text" value="my tenant"/>
K8s Cluster	<input type="text" value="multicomputecluster"/>
Adopt Existing Namespace	<input type="checkbox"/> No free namespaces available to adopt in this cluster (Optional)
Specified Namespace Name	<input type="text" value="tenanta"/> (Optional)
Is Namespace Owner	<input checked="" type="checkbox"/> (Optional)
Map Services To Gateway	<input checked="" type="checkbox"/> (Optional)
Enable Istio Service Mesh	<input type="checkbox"/> (Optional)
Mutual TLS mode	<input type="text" value="permissive"/>
ACL/ML Project	<input type="checkbox"/>

You want the HPE Ezmeral Container Platform gateway to provide external access to the service shown in the exhibit. The service is deployed in the Kubernetes Tenant for which the exhibit shows the settings. However, it is not currently doing so.

What correction must you make to achieve this goal?

- A. Reapply the service object with the "Port type" changed to "ClusterIP" and a valid cluster IP specified.
- B. Check which ports are available on the gateway. Specify one of those ports as the "nodePort" in the service and reapply it.
- C. Select the "Enable Istio Service Mesh" option in the Kubernetes Tenant options; then reapply the service object.
- D. Reapply the service object with the "hpecp.hpe.com/hpecp-internal-gateway" label set to "true" in the metadata.



Correct Answer: D

QUESTION 2

You have created a Kubernetes Tenant on Ezmeral Container Platform. Users want to use the KubeCtl tab in the Tenant UI to apply objects from YAML files. What is a requirement?

- A. The Web Terminal is initiated.
- B. The users have the Tenant Admin role.
- C. The tenant has an FS mount.
- D. At least one Kubedirector app is installed.

Correct Answer: B

QUESTION 3

A customer needs an Ezmeral Container Platform solution for supporting a mix of stateful and stateless applications. The customer also wants the platform to host Ezmeral Data Fabric on Kubernetes.

Which systems are recommended for the Data Fabric workers?

- A. SimpliVity 380s
- B. Synergy 380s
- C. Apollo 4200s
- D. Apollo 6500s

Correct Answer: D

QUESTION 4

You are using native Kubernetes, and you want to deploy three identical containers. What is the recommended way to do so?

- A. Create a deployment object that specifies three replicas of a pod, which defines the desired container settings.
- B. Create a pod object that specifies three separate containers; specify the same settings for each container.
- C. Create one container object. Then specify three instances of that object in a separate pod object.
- D. Create three container objects. For each object specify the same image and settings.

Correct Answer: A



QUESTION 5

What is one requirement for using the pre-check config script to install HPE Ezmeral Container Platform v5.2 on a controller host?

- A. You must first install a digital certificate to secure management communications with the host.
- B. The host must pass all the checks run by the pre-check config script.
- C. You must run the standard installation before running the pre-check config file.
- D. The host must run the RHEL operating system because SLE5 is not supported.

Correct Answer: C

[Latest HPE2-N68 Dumps](#)

[HPE2-N68 PDF Dumps](#)

[HPE2-N68 Exam Questions](#)