



HPE2-N68^{Q&As}

Using HPE Containers

Pass HP HPE2-N68 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe2-n68.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You need to enable the AI/ML project option for a Kubernetes tenant on HPE Ezmeral Container Platform. What Is a requirement?

- A. That the Kubernetes cluster for the tenant is running Kubernetes version 1.18.6 or above
- B. That the Ezmeral ML Ops Installation package was run on the platform and cluster before the tenant was added
- C. That the platform has enough available Ezmeral ML Ops licenses to match the core quota on the tenant
- D. That the Kubernetes cluster for the tenant has both Spark operator and Istio enabled on it

Correct Answer: C

QUESTION 2

What is a setting that you are allowed to change after you deploy a Kubernetes cluster?

- A. The number of hosts assigned to a role
- B. The type (data fabric or non-data fabric)
- C. The pod network range
- D. The authentication settings

Correct Answer: A

QUESTION 3

How are resources allocated to EPIC virtual nodes?

- A. Tenant Admins create and edit flavors to define resource requests, and Tenant Members select the flavors for virtual nodes they create.
- B. The platform provides three default flavors to define how resources are allocated, and only Site Admins can edit those flavors.
- C. Site Admins use templates to define resources for virtual nodes, and Tenant Admins can edit these templates.
- D. Tenant Admins create and edit templates to define how resources are allocated, and Tenant Members can view, use, and edit those templates.

Correct Answer: B

QUESTION 4

What Is one way that KubeDirector differs from typical Kubernetes Operators?



- A. KubeDirector embeds a ticket-based authentication system to enhance security for communications across stateful sets.
- B. KubeDirector uses the same deployment objects with which IT is probably already familiar, but makes it easier for IT to catalog and manage the objects.
- C. KubeDirector has a flexible framework that can work for many stateful apps, and is easier for non-Kubernetes experts to use.
- D. KubeDirector is optimized for establishing secure service meshes across cloud-scale, stateless, micro-service-based architectures.

Correct Answer: D

QUESTION 5

You want to connect a Kubernetes pod to a Persistent Volume (PV). What step must you complete before creating the pod?

- A. Create a Volume to link to the PV.
- B. Create a Persistent Volume Claim (PVC).
- C. Create a PV definition on a backend storage array.
- D. Enable persistency in the Kubernetes namespace.

Correct Answer: A

[Latest HPE2-N68 Dumps](#)

[HPE2-N68 VCE Dumps](#)

[HPE2-N68 Practice Test](#)