



HPE2-T35^{Q&As}

Using HPE OneView

Pass HP HPE2-T35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe2-t35.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which HPE OneView feature enables the detection of lost Ethernet connectivity on interconnect uplink ports?

- A. M-LAG
- B. Smart Link
- C. QoS
- D. VxLAN

Correct Answer: B

QUESTION 2

What is the most likely reason for CPU, temperature, or power utilization not being presented in HPE OneView?

- A. The agent on the server stopped communicating with HPE OneView.
- B. The wrong SNMP data was entered into iLO.
- C. The wrong HPE OneView Advanced License Key was entered.
- D. The server doesn't have an iLO Advanced License.

Correct Answer: C

QUESTION 3

Refer to the exhibit.



OneView Search

Server Profile Templates 3 All statuses All labels All resources

+ Create server profile template

- esx 3 based
- ESX BL460c Gen10 template
- HYPERV TEMPLATE

ESX BL460c Gen10 template Connections

Update Completed 1s

Connections

Expand all Collapse all

ID	Name	Network	Port	Boot
1		management VLAN1	FlexibleLOM 1:1 -a	Not bootable
	Interconnect	pending assignment		
	Type	Ethernet		
	MAC address	pending assignment		
	Requested bandwidth	2.5 Gb/s		
2		management VLAN1	FlexibleLOM 1:2 -a	Not bootable
3		prod_13 VLAN13	FlexibleLOM 1:1 -c	Not bootable
4		prod_13 VLAN13	FlexibleLOM 1:2 -c	Not bootable

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

- A. The server hardware is not supported by HPE OneView.
- B. The Logical interconnect does not contain the VLAN in any defined uplink set.
- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Correct Answer: C

QUESTION 4

What type of default certificate is automatically generated in an HPE OneView appliance?

- A. PKI
- B. self-signed
- C. CA generated
- D. no certificate is pre-installed

Correct Answer: B



QUESTION 5

The administrator has configured Server Profile Templates to use Virtual serial numbers. Where can you go in HPE OneView to see hardware-based serial numbers? (Choose two.)

- A. Server Profile Templates page
- B. Server Hardware page
- C. Server Profile page
- D. Server Hardware Types page
- E. Reports > Server inventory page.

Correct Answer: BC

[HPE2-T35 PDF Dumps](#)

[HPE2-T35 VCE Dumps](#)

[HPE2-T35 Exam Questions](#)