

HPE2-T35^{Q&As}

Using HPE OneView

Pass HP HPE2-T35 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hpe2-t35.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

- A. delete server profile templates
- B. delete scopes
- C. perform firmware updates
- D. update scopes
- E. create server profile templates

Correct Answer: AE

QUESTION 2

Refer to the exhibit.

| | ver Profile Templates 3 | | tatuses • | ✓ All labels ✓ | All resource | es v | | |
|------|------------------------------|---|-------------|------------------------|--------------|-------------|--------------------|-------------|
| + Cr | eate server profile template | | 0 | ESX BL460 | c Gen10 | template | Connections | |
| | Name esx 3 based | * | • | Update Co | mpleted 1 | Ls | | |
| | ESX BL460c Gen10 template | | | | | | | |
| | HYPERV TEMPLATE | | Connections | | | | | |
| | | | Exp | and all Collap | se all | | | |
| | | | <u></u> | ID Name | Network | | Port | Boot |
| | | | ٣ | 1 | manageme | nt VLAN1 | FlexibleLOM 1:1 -a | Not bootab |
| | | | | Interconnec | t | pending ass | gnment | |
| | | | | Туре | | Ethernet | | |
| | | | | MAC addres | s | pending ass | gnment | |
| | | | | Requested bandwidth | | 2.5 Gb/s | | |
| | | | - | 2 | manageme | nt VLAN1 | FlexibleLOM 1:2 -a | Not bootabl |
| | | | Þ | 3 | prod 13 | VLAN13 | FlexibleLOM 1:1 -c | Not bootabl |
| | | | Þ- | 4 | prod 13 | VLAN13 | FlexibleLOM 1:2 -c | Not bootabl |

A server administrator cannot locate the MAC addresses assigned to the server profile template. What could be the reason?

A. The server hardware is not supported by HPE OneView.

B. The Logical interconnect does not contain the VLAN in any defined uplink set.



- C. The server profile template has not yet been assigned to the hardware.
- D. MAC addresses are only assigned when a server profile is created from a template.

Correct Answer: C

QUESTION 3

How does HPE OneView 4.0 along with HPE ProLiant Gen 10 benefit customers who are concerned about malware attacks?

- A. Continuously scans server firmware for malware code
- B. Forces secure boot for both Legacy and UEFI BIOS mode.
- C. Introduces Trusted Platform Module 2.0 support.
- D. Provides a Secure Boot option setting as part of the server profile.

Correct Answer: B

QUESTION 4

A server administrator wants to prevent excessive unknown destination frames from affecting the network performance of Synergy compute modules. Which HPE OneView setting at the Logical Interconnect Group level can help?

- A. storm control
- B. loop protection
- C. SNMPv3
- D. IGMP snooping

Correct Answer: A

QUESTION 5

Which HPE OneView function can be used on HPE ProLiant DL Gen10 servers with HPE OneView Advanced license applied? (Choose two.)

- A. BIOS configuration
- B. OS deployment
- C. network connection definition
- D. MAC address virtualization
- E. firmware update



Correct Answer: BE

Latest HPE2-T35 Dumps

HPE2-T35 PDF Dumps

HPE2-T35 VCE Dumps