

HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/hpe2-t37.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/hpe2-t37.html

2024 Latest pass4itsure HPE2-T37 PDF and VCE dumps Download

QUESTION 1

Which connection type can be defined within a server profile for an MPE ProLiant DL server?

- A. iSCSI
- B. RoCE
- C. FC
- D. Ethernet

Correct Answer: C

QUESTION 2

Your customer plans to monitor HPE ProLiant DL systems and HPE BladeSystem using HPE OneView.

Which license is required to accomplish this task?

- A. HPE One View Global Dashboard license
- B. HPE OneView Advanced license
- C. HPE composer 2 license
- D. HPE OneView standard license

Correct Answer: D

QUESTION 3

You want to add the latest IL0 firmware to an HPE OneView firmware repository. How can you complete this task?

- A. A PowerShell script must be used to upload IL0 firmware to the Internal or external firmware repository.
- B. A custom SPP iso Image must be created with the new IL0 firmware version and uploaded to the repository.
- C. An external repository must be created, because standalone components are supported only In an external repository.
- D. ILO firmware can be marked as a hotnx and uploaded directly to the Internal or external firmware repository.

Correct Answer: B

QUESTION 4

What is required to add a remote frame to the primary management ring?



https://www.pass4itsure.com/hpe2-t37.html

2024 Latest pass4itsure HPE2-T37 PDF and VCE dumps Download

- A. UUD of the remote HPE Composer
- B. Serial number of one of the remote frames
- C. Remote frame Link Module IPv6 address
- D. Request code from the primary HPE Composer

Correct Answer: D

QUESTION 5

You are creating a Logical Interconnect Group (LIG) that will be used to configure SAS connectivity. What is the maximum number of frames that can be inducted in this LIG?

- A. 2 frames
- B. 4 frames
- C. 3 frames
- D. 1 frame
- E. 5 frames

Correct Answer: D

HPE2-T37 PDF Dumps HPE2-T37 Exam Questions HPE2-T37 Braindumps