



# HPE2-T37<sup>Q&As</sup>

Using HPE OneView

**Pass HP HPE2-T37 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe2-t37.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which HPE components can be managed using HPE Composer? (Select two.)

- A. HPE Superdome Flex 280
- B. HPE Synergy Virtual Connect SE 32Gb FC Module
- C. HPE Synergy 480 Compute Modules
- D. HPE B-series SN6600B Fibre Channel Switch
- E. HPE MSA 2062 Storage Array

Correct Answer: BD

---

**QUESTION 2**

After replacing a failed Compute Module, you notice the server profile is not automatically assigned to the replaced server hardware. What can cause this issue?

- A. iLO firmware of the replacement server is different than firmware in broken server.
- B. Server profile affinity is configured to Device Day + server hardware.
- C. The enclosure group has to be updated to match the original enclosure group.
- D. The replacement server has more memory or CPUs than broken machine.

Correct Answer: A

---

**QUESTION 3**

Which statement about a Logical Enclosure for HPE BladeSystem is true?

- A. A logical enclosure can have between 1 to 5 HPE BladeSystem c7000 enclosures.
- B. A logical enclosure must be created only for monitored HPE BladeSystem C7000 enclosures.
- C. A logical enclosure is created automatically, and it is always based on a single enclosure.
- D. A logical enclosure can contain a mix of HPE BladeSystem c7000 and C3000 enclosures.

Correct Answer: C

---

**QUESTION 4**

Which statement about logical JBODs configured using HPE OneView and D3940 Storage Modules is true?



- A. A logical JBOD lifecycle can be associated with a server profile lifecycle and drives can be securely erased
- B. A logical JBOD cannot be created during server profile creation and must be prepared in advance
- C. Different types of the drives can be used within a logical JBOD as long as they have the same capacity
- D. Logical JBOD functionality must be enabled on the Enclosure Group level by a storage administrator

Correct Answer: B

---

## QUESTION 5

### HOTSPOT

Click the option that must be configured for an HPE OneView when an HPE storage system is connected directly to an HPE Synergy frame.

Hot Area:



## Create Network



Name

FC-A

Type



Ethernet



Fibre Channel



FCoE

Fabric type

Fabric attach



Associated SAN

none



Preferred bandwidth

2,5

Gb/s

Maximum bandwidth

20

Gb/s

Login redistribution

Auto



Link stability interval

30

seconds



Changed: Name to ...

Create

Create +

Cancel

Correct Answer:



## Create Network



Name

FC-A

Type



Ethernet



Fibre Channel



FCoE

Fabric type

Fabric attach



Associated SAN

none



Preferred bandwidth

2,5

Gb/s

Maximum bandwidth

20

Gb/s

Login redistribution

Auto



Link stability interval

30

seconds



Changed: Name to ...

Create

Create +

Cancel

[Latest HPE2-T37 Dumps](#)[HPE2-T37 Practice Test](#)[HPE2-T37 Exam Questions](#)