



HPE2-Z40^{Q&As}

Delta - Applying Aruba Switching Fundamentals for Mobility

Pass HP HPE2-Z40 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe2-z40.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A company wants all wireless users who connect to a WLAN to authenticate with an individual username and password. The company also wants to control which wireless devices are allowed to connect to the WLAN.

Which security option on Aruba APs meets these criteria?

- A. WPA/WPA2 Personal and IVIAC authentication
- B. WPA/WPA2 Enterprise and IVIAC authentication with the IVIAC authentication fail-thru option
- C. Open and IVIAC authentication with a closed SSID
- D. WPA/WPA2 Enterprise and IVIAC authentication before 802.1X option

Correct Answer: A

QUESTION 2

What is a benefit of HPE Network Optimizer in an Aruba network?

- A. It enables network devices to automatically prioritize Microsoft Skype for Business traffic flows.
- B. It enables network administrators to detect wired and wireless denial of service (DoS) attacks.
- C. It enables APs to distribute clients to the optimal AP for each client connection.
- D. It enables device profile deployment for Lyne Hard Phones.

Correct Answer: A

QUESTION 3

What is one requirement to combine Aruba 5400R z|2 Series switches in a Virtual Switching Framework (VSF) fabric?

- A. Both of the members must have two management modules.
- B. The switches must operate in v3-module only mode; any modules of an earlier version are automatically disabled.
- C. The interfaces assigned to the VSF link must be pre-configured as part of a link aggregation.
- D. One of the switches must be an Aruba 5412R switch, while the other member can be any switch in the 5400R series.

Correct Answer: D

**QUESTION 4**

A company wants to deploy Aruba Instant APs (IAPs) at branch offices and have a configuration automatically deployed to the APs.


How can network administrators achieve this goal?

- A. Set up an Aruba Activate account and upload configuration templates and provisioning rules to it.
- B. Set up configuration templates on AirWave and Aruba Activate provisioning rules that direct the Aps to AirWave.
- C. Configure Aruba ClearPass to discover the APs and push configurations to them.
- D. Upload a configuration template on a management station and then connect that station to the Instant SSID.

Correct Answer: C

QUESTION 5

Refer to the exhibit.



The Virtual Switching Framework (VSF) fabric and other switches connect on LACP link aggregations.

They use OSPF for routing.

What should a network administrator do to help network connectivity continue uninterrupted if the commander fails?

- A. Install a standby management module in the standby member.
- B. Enable OSPF graceful restart (non-stop OSPF) on the VSF fabric.



C. Configure LLDP-MAD on the VSF fabric.

D. Configure a unique OSPF router ID on the standby member OOBNI port.

Correct Answer: A

[HPE2-Z40 PDF Dumps](#)

[HPE2-Z40 Study Guide](#)

[HPE2-Z40 Exam Questions](#)