

HPE2-Z40^{Q&As}

Delta - Applying Aruba Switching Fundamentals for Mobility

Pass HP HPE2-Z40 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/hpe2-z40.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers






QUESTION 1

Refer to the exhibits.





A broadcast packet arrives tagged for VLAN 2 on the IVIember 2 link of Trk2. What does IVIember 2 do\\'?

A. It forwards the packet over the VSF link to Nlember 1. and then Nlember 1 forwards the packet on its link in Trk1.

B. It uses LACP to communicate with the commander on the VSF link, and then follows the commander directions.

C. It uses a hash to select one ofthe links in Trk1, and then forwards the packet locally or on the VSF link, based on the decision.

D. It forwards the packet on its local link in Trk1.

Correct Answer: B

QUESTION 2

A company requires wireless services at a mid-sized campus. Which advantage do Aruba Instant Aps (IAPs) provide for such an environment?

A. They are plug-and-play unmanaged APs that automatically support secure WLAN settings.

B. They operate as thin APs that are automatically discovered and controlled by a mobility controller.



https://www.pass4itsure.com/hpe2-z40.html

2024 Latest pass4itsure HPE2-Z40 PDF and VCE dumps Download

- C. They are controlled from a single interface without requiring the deployment of a separate controller.
- D. They include an embedded version of Aruba AirWave that makes them easy to deploy and manage.

Correct Answer: A

QUESTION 3

A company wants to use Zero Touch Provisioning (ZTP) to prov1s1on new ArubaOS switches. Which AirWave settings must match the switch default SNMP and Telnet/SSH password settings?

- A. Credentials in device discovery settings
- B. Communication settings for the device group to which ZTP switches are assigned
- C. Settings in the device template for the device group to which ZTP switches are assigned
- D. Global communication settings

Correct Answer: C

QUESTION 4

Which settings are required on ArubaOS switches for Aruba AirWave to discover monitor, and manage them?

- A. shared cluster key and an SNMP v2 community or v3 user
- B. SNMP v2 community or v3 user and an HTTPS certificate
- C. credentials for Telnet or SSH login and an SNMP v2 community or v3 user
- D. credentials for Telnet or SSH login and an HTTPS certificate

Correct Answer: A

QUESTION 5

What is one requirement to combine Aruba 5400R z|2 Series switches in a Virtual Switching Framework (VSF) fabric?

- A. Both ofthe members must have two management modules.
- B. The switches must operate in v3-module only mode; any modules of an earlier version are automatically disabled.
- C. The interfaces assigned to the VSF link must be pre-configured as part of a link aggregation.
- D. One of the switches must be an Aruba 5412R switch, while the other member can be any switch in the 5400R series.

Correct Answer: D



https://www.pass4itsure.com/hpe2-z40.html 2024 Latest pass4itsure HPE2-Z40 PDF and VCE dumps Download

HPE2-Z40 Practice Test

HPE2-Z40 Study Guide

HPE2-Z40 Braindumps