



# HPE3-U01<sup>Q&As</sup>

Aruba Certified Network Technician Exam

**Pass HP HPE3-U01 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe3-u01.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which organization provides certifications that ensure interoperability between WLAN vendors?

- A. Institute of Electrical and Electronics Engineers
- B. Federal Communications Commission
- C. Wi-Fi Alliance
- D. Internet Engineering Task Force

Correct Answer: C

<https://www.wi-fi.org/certification>

---

**QUESTION 2**

What are the key differences between L2 switches and routers? (Select two.)

- A. Switches build an ARP table, while routers build a port table.
- B. Switches build a MAC table while routers build a routing table.
- C. Switches are considered L2 devices, while routers are L4.
- D. Switches offer a considerably higher port density than routers.
- E. Routers offer a considerably higher port density than switches.

Correct Answer: BD

---

**QUESTION 3**

You are managing an ArubaOS-CX switch using the CLI. The current prompt reads "Switch(config-if>#". Which single CLI command should you issue to move back to the Manager context?

- A. end
- B. disable
- C. quit
- D. exit

Correct Answer: A

---

**QUESTION 4**



You have connected a Multilayer switch to an Internet Service Provider router that has the 172.16.31.254 IP address. What configuration line do you have to enter on your switch to enable internet access?

- A. route 172.16.31.254 0.0.0.0 0.0.0.0
- B. Ip route 0.0.0.0/0 172.16.31.254
- C. routing 0.0.0.0/0 172.16.31.254/24
- D. ip routing 0/0 172.16.31.254

Correct Answer: A

---

#### QUESTION 5

What is the maximum recommended distance for a 1 Gbps Ethernet connection using Cat 6 UTP-based cabling between a host and the switch where it is plugged in?

- A. 50 meters (164 feet)
- B. 100 meters (328 feet)
- C. 300 meters (984 feet)
- D. 15 meters (49 feet)

Correct Answer: B

[Latest HPE3-U01 Dumps](#)

[HPE3-U01 Exam Questions](#)

[HPE3-U01 Braindumps](#)