



HPE6-A07^{Q&As}

Aruba Certified ClearPass Associate 6.5

Pass HP HPE6-A07 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a07.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An organization wants to ensure a client's antivirus is installed and up to date prior to allowing network access.

Which ClearPass feature can be used to accomplish this?

- A. Guest with sponsor approval
- B. OnGuard
- C. Guest with self-registration
- D. Onboarding
- E. RADIUS Authorization

Correct Answer: B

QUESTION 2

What will be the initial posture token of a device connecting with 802.1x authentication for the first time?

- A. Unhealthy
- B. Quarantine
- C. Checkup
- D. Unknown
- E. Healthy

Correct Answer: D

When the user connects to the 802.1x SSID for the first time the Posture token will be Unknown, the initial role will be returned to the controller and the user will be redirected to OnGuard Agent page. The user will download and run the dissolvable or persistent agent and the agent will send the health results to the Webauth Health Check service, which will update the posture token in the Endpoint database and send a Bounce User request to the controller. That will cause the user to re-authenticate and this time the posture token will be known.

Reference <https://community.arubanetworks.com/aruba/attachments/aruba/aaa-nac-guest-accessbyod/21122/1/OnGuard%20config%20Tech%20Note%20v1.pdf>

QUESTION 3

What does a client need for it to perform EAP-TLS successfully? (Select two.)

- A. Username and Password
- B. Server Certificate



- C. Pre-shared key
- D. Certificate Authority
- E. Client Certificate

Correct Answer: BE

Reference <https://community.arubanetworks.com/t5/AAA-NAC-Guest-Access-BYOD/Binary-comparisonin-EAP-TLS-Authentication/ta-p/257857>

QUESTION 4

Customize Guest Registration	
NAS Login Options controlling logging into a NAS for self-registered guests.	
Enabled:	<input checked="" type="checkbox"/> Enable guest login to a Network Access Server
* Vendor Settings:	Aruba Networks Select a predefined group of settings suitable for standard network configurations.
Login Method:	Controller-initiated — Guest browser performs HTTP form submit Select how the user's network login will be handled. Server-initiated logins require the user's MAC address to be available, usually from the captive po
IP Address:	securelogin.arubanetworks.com Enter the IP address or hostname of the vendor's product here.
Secure Login:	Use vendor default Select a security option to apply to the web login process.
Dynamic Address:	<input type="checkbox"/> The controller will send the IP to submit credentials In multi-controller deployments, it is often required to post credentials to different addresses mac The address above will be used whenever the parameter is not available or fails the requirements
Default Destination Options for controlling the destination clients will redirect to after login.	
Default URL:	<input type="text"/> Enter the default URL to redirect clients. Please ensure you prepend "http://" for any external domain.
Override Destination:	<input type="checkbox"/> Force default destination for all clients If selected, the client's default destination will be overridden regardless of its value.
<div>Save Changes</div> <div>Save and Continue</div>	

Based on the self-registration customization, what is the expected outcome?

- A. When the user connects to an Aruba NAD device, the user will be redirected to this self-registration page.
- B. When the user completes the self-registration form, a NAS login request will be sent from the client to ClearPass alternate domain at securelogin.arubanetworks.com.



- C. When the user browses to securelogin.arubanetworks.com, the user will be redirected to the self-registration page.
- D. User credentials will be sent to the NAD device when the user clicks the login button on the self-registration receipt page.
- E. When the user clicks the register button on the self-registration page, user credentials will be sent to the NAD.

Correct Answer: B

QUESTION 5

What is the primary use of the ClearPass OnGuard Application?

- A. Device Profiling
- B. Guest Access
- C. Secure Employee Access
- D. Endpoint Posture
- E. Onboarding BYOD Devices

Correct Answer: D

Reference: https://www.arubanetworks.com/assets/ds/DS_ClearPass_OnGuard.pdf

[HPE6-A07 Practice Test](#)

[HPE6-A07 Study Guide](#)

[HPE6-A07 Braindumps](#)