



HPE6-A07^{Q&As}

Aruba Certified ClearPass Associate 6.5

Pass HP HPE6-A07 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a07.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Where is the web login page created in the ClearPass UI?

- A. WebAuth Service
- B. Captive Portal Profile
- C. ClearPass Policy Manager
- D. Guest Login Service
- E. ClearPass Guest

Correct Answer: E

QUESTION 2

Which policy component is the final step in the policy service flow in ClearPass?

- A. Enforcement
- B. Posture
- C. Authorization
- D. Roles
- E. Authentication

Correct Answer: A

QUESTION 3

What does a client need for it to perform EAP-TLS successfully? (Select two.)

- A. Username and Password
- B. Server Certificate
- C. Pre-shared key
- D. Certificate Authority
- E. Client Certificate

Correct Answer: BE


Reference <https://community.arubanetworks.com/t5/AAA-NAC-Guest-Access-BYOD/Binary-comparisonin-EAP-TLS-Authentication/ta-p/257857>

**QUESTION 4**

Where is the ClearPass Guest Login page URL referenced in the Aruba Controller?

- A. Guest Access Policy
- B. WebAuth Profile
- C. Captive Portal Policy
- D. Captive Portal Authentication Profile
- E. Guest Enforcement Profile

Correct Answer: D

QUESTION 5

Based on the information provided, what is the status of the network? (Select two.)

- A. Posture check is enabled for Windows 7 OS.
- B. Posture check is enabled for firewall client application in Windows 7 OS.
- C. Auto remediation is enabled, hence the client will be forced to enable the firewall if it is found disabled.
- D. Auto remediation can force the client to enable the firewall and also sends a notification to user.
- E. Auto remediation cannot force the client to enable the firewall, it can only send notification to the user.

Correct Answer: AC