



HPE6-A15^{Q&As}

Aruba Certified Clearpass Professional 6.5

Pass HP HPE6-A15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a15.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

Administration » Dictionaries » RADIUS

RADIUS Dictionaries

RADIUS Attributes

Vendor Name: Aruba (14823)

#	Attribute Name	ID	Type	In/Out
1.	Aruba-User-Role	1	String	in out
2.	Aruba-User-Vlan	2	Unsigned32	in out
3.	Aruba-Priv-Admin-User	3	Unsigned32	in out
4.	Aruba-Admin-Role	4	String	in out
5.	Aruba-Essid-Name	5	String	in out
6.	Aruba-Location-Id	6	String	in out
7.	Aruba-Port-Id	7	String	in out
8.	Aruba-Template-User	8	String	in out
9.	Aruba-Named-Vlan	9	String	in out
10.	Aruba-AP-Group	10	String	in out

Disable Export Close

In the Aruba RADIUS dictionary shown, what is the purpose of the RADIUS attributes?

- A. to gather and send Aruba NAD information to ClearPass
- B. to gather information about Aruba NADs for ClearPass
- C. to send information via RADIUS packets to Aruba NADs
- D. to send information via RADIUS packets to clients
- E. to send CoA packets from ClearPass to the Aruba NAD

Correct Answer: C

QUESTION 2

Which devices support Apple over-the-air provisioning? (Select two.)



- A. IOS 5
- B. Laptop running Mac OS X 10.8
- C. Laptop running Mac OS X 10.6
- D. Android 2.2
- E. Windows XP


Correct Answer: AB

Apple over-the-air provisioning is supported by IOS and OSX above version 10.6.

References: https://community.arubanetworks.com/aruba/attachments/aruba/tkb@tkb/286/1/BYODwithClearPass_Cameron_Esdaile.pdf

QUESTION 3

Refer to the exhibit.



Based on the information shown on a client's laptop, what will happen next?

- A. The web login page will be displayed.
- B. The client will send a NAS authentication request to ClearPass.
- C. ClearPass will send a NAS authentication request to the NAD.
- D. the NAD will send an authentication request to ClearPass.
- E. The user will be presented with a self-registration receipt.

Correct Answer: D

QUESTION 4



Refer to the exhibit.

The screenshot shows the 'Event Viewer' interface with a filter set to 'Source contains RADIUS'. A table lists one event with the following details:

#	Source	Level	Category
1.	RADIUS	ERROR	Authentication

Below the table, the 'System Event Details' are shown for the selected event:

Source	RADIUS
Level	ERROR
Category	Authentication
Action	Unknown
Timestamp	May 09, 2013 23:29:31 UTC
Level	ERROR
Category	Authentication
Action	Unknown
Timestamp	May 09, 2013 23:29:31 UTC
Description	Received packet from 10.8.10.100 with invalid Message-Authenticator! (Shared secret is incorrect.)

The ClearPass Event Viewer displays an error when a user authenticates with EAP-TLS to ClearPass through an Aruba Controller Wireless Network.

What is the cause of this error?

- A. The controller's shared secret used during the certificate exchange is incorrect.
- B. The NAS source interface IP is incorrect.
- C. The client sent an incorrect shared secret for the 802.1X authentication.
- D. The controller used an incorrect shared secret for the RADIUS authentication.
- E. The client's shared secret used during the certificate exchange is incorrect.

Correct Answer: D

QUESTION 5

Refer to the exhibit.



Home >> Configuration >> Web Logins

RADIUS Web Login

Use this form to make changes to the RADIUS Web Login **Guest Network**.

RADIUS Web Login Editor	
* Name:	<input type="text" value="Guest Network"/> Enter a name for this web login page.
Page Name:	<input type="text" value="Aruba_login"/> Enter a page name for this web login. The web login be accessible from <code>"/guest/page_name.php"</code> .
Description:	<input type="text"/> Comments or descriptive text about the web login.
* Vendor Settings:	<input type="text" value="Aruba Networks"/> Select a predefined group of settings suitable for standard network configurations.
Address:	<input type="text" value="securelogin.arubanetworks.com"/> Enter the IP address or hostname of the vendor's product here.
Secure Login:	<input type="text" value="Use vendor default"/> Select a security option to apply to the web login process.
Dynamic Address:	<input type="checkbox"/> The controller will send the IP to submit credentials In multi-controller deployments, it is often required to post credentials to different addresses. The address above will be used whenever the parameter is not available or fails.

When configuring a Web Login Page in ClearPass Guest, the information shown is displayed. What is the page name field used for?

- A. for forming the Web Login Page URL
- B. for Administrators to access the PHP page, but not guests
- C. for Administrators to reference the page only
- D. for forming the Web Login Page URL where Administrators add guest users
- E. for informing the Web Login Page URL and the page name that guests must configure on their laptop wireless supplicant.

Correct Answer: A

The Page Name is an identifier page name that will appear in the URL -- for example, `"/guest/page_name.php"`.

References: http://www.arubanetworks.com/techdocs/ClearPass/CPGuest_UG_HTML_6.5/Content/Configuration/Create



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/hpe6-a15.html>

2024 Latest pass4itsure HPE6-A15 PDF and VCE dumps Download

eEditWebLogin.htm

[Latest HPE6-A15 Dumps](#)

[HPE6-A15 PDF Dumps](#)

[HPE6-A15 Practice Test](#)