



# HPE6-A15<sup>Q&As</sup>

Aruba Certified Clearpass Professional 6.5

## Pass HP HPE6-A15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a15.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

**Enforcement Policies - Enterprise Enforcement Policy**

Summary	Enforcement	Rules
<b>Enforcement:</b>		
Name:	Enterprise Enforcement Policy	
Description:	Enforcement policies for local and remote employees	
Enforcement Type:	RADIUS	
Default Profile:	[Deny Access Profile]	
<b>Rules:</b>		
Rules Evaluation Algorithm: Evaluate all		
Conditions		Actions
1. (Tips: Posture Equals HEALTHY (0)) AND (Tips:Role MATCHES_ANY Remote Worker Role Engineer testqa) AND (Date:Day-of-Week NOT_BELONGS_TO Saturday, Sunday)	[RADIUS] EMPLOYEE_VLAN, [RADIUS] Remote Employee ACL	
2. (Tips:Role EQUALS Senior_Mgmt) AND (Date:Day-of-Week NOT_BELONGS_TO Saturday, Sunday)	[RADIUS] EMPLOYEE_VLAN	
3. (Tips:Role EQUALS San Jose HR Local) AND (Tips: Posture EQUALS HEALTHY (0))	HR VLAN	
4. (Tips:Role EQUALS [Guest]) AND (Connection:SSID CONTAINS guest)	[RADIUS] WIRELESS_GUEST_NETWORK	
5. (Tips:Role EQUALS Remote Worker) AND (Tips:Posture NOT_EQUALS HEALTHY (0))	RestrictedACL	

Based on the Enforcement Policy configuration shown, when a user with Role Engineer connects to the network and the posture token assigned is Unknown, which Enforcement Profile will be applied?

- A. EMPLOYEE\_VLAN
- B. RestrictedACL
- C. Deny Access Profile
- D. HR VLAN
- E. Remote Employee ACL

Correct Answer: C

**QUESTION 2**

What must be configured to enable RADIUS authentication with ClearPass on a network access device (NAD)? (Select two.)

- A. the ClearPass server must have the network device added as a valid NAD
- B. the ClearPass server certificate must be installed on the NAD
- C. a matching shared secret must be configured on both the ClearPass server and NAD



- D. an NTP server needs to be set up on the NAD
- E. a bind username and bind password must be provided

Correct Answer: AC

### QUESTION 3


Which IP address should be set as the DHCP relay on an Aruba Controller for device fingerprinting on ClearPass?

- A. DHCP server IP
- B. Active Directory IP
- C. Switch IP
- D. Microsoft NPS server IP
- E. ClearPass server IP

Correct Answer: E

### QUESTION 4

Refer to the exhibit.



Based on the Translation Rule configuration shown, what will be the outcome?

- A. An AD user from group Administrators will be assigned the operator profile of IT Administrators.
- B. All ClearPass Policy Manager admin users who are members of the Administrators AD group will be assigned the TACACS profile of IT Administrators.
- C. All active directory users will be assigned the operator profile of IT Administrators.



D. A user from AD group MatchAdmin will be assigned the operator profile of IT Administrators.

Correct Answer: A

---

#### QUESTION 5

Which collectors can be used for device profiling? (Select two.)

- A. Username and Password
- B. ActiveSync Plugin
- C. Client\\'s role on the controller
- D. Onguard agent
- E. Active Directory Attributes

Correct Answer: BD

[HPE6-A15 PDF Dumps](#)

[HPE6-A15 VCE Dumps](#)

[HPE6-A15 Exam Questions](#)