



# HPE6-A15<sup>Q&As</sup>

Aruba Certified Clearpass Professional 6.5

## Pass HP HPE6-A15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a15.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





## QUESTION 1

An employee authenticates using a corporate laptop and runs the persistent Onguard agent to send a health check back the Policy Manager. Based on the health of the device, a VLAN is assigned to the corporate laptop. Which licenses are consumed in this scenario?

- A. 1 Policy Manager license, 1 Onboard License
- B. 2 Policy Manager licenses, 1 Onguard License
- C. 1 Policy Manager license, 1 Profile License
- D. 2 Policy Manager licenses, 2 Onguard licenses
- E. 1 Policy Manager license, 1 Onguard License

Correct Answer: E

## QUESTION 2

Refer to the exhibit.

Certificate Issuing	
These options control how certificates are issued by this certificate authority.	
* Authority Info Access:	<div>Include OCSP Responder URL ▼</div> <div>Select the information about the certificate authority to include in the client certificate. Note that when an OCSP URL is provided, clients may need to access this URL in order to determine if the certificate is still valid.</div>
OCSP URL:	<div>http://cp62-server1/guest/mdps_ocsp.php/4</div> <div>The OCSP URL to be included in certificates.</div>
* Validity Period:	<div>365 days</div> <div>Maximum validity period for client certificates (in days).</div>
* Clock Skew Allowance:	<div>15</div> <div>Amount to pre/post date certificate validity period (in minutes).</div>
Subject Alternative Name:	<div><input checked="" type="checkbox"/> Include device information in TLS client certificates</div> <div>Store information about the device in the subjectAltName extension of the certificate. Note: Aruba OS version 6.1 or later is required to enable this feature.</div>

What is the purpose of the 'Clock Skew Allowance' setting? (Select two.)

- A. to ensure server certificate validation does not fail due to client clock sync issues
- B. to set start time in client certificate to a few minutes before current time
- C. to adjust clock time on client device to a few minutes before current time
- D. to ensure client certificate validation does not fail due to client clock sync issues
- E. to set expiry time in client certificate to a few minutes longer than the default setting

Correct Answer: D

Clock Skew Allowance adds a small amount of time to the start and end of the client certificate's, not the server certificate's, validity period. This permits a newly issued certificate to be recognized as valid in a network where not all



devices are perfectly synchronized.

References: <http://www.arubanetworks.com/techdocs/ClearPass/6.6/Guest/Content/Onboard/EditingCASettings.htm>

---

### QUESTION 3

What is the purpose of the Audit Viewer in the Monitoring section of ClearPass Policy Manager?

- A. to audit client authentications
- B. to display changes made to the ClearPass configuration
- C. to display the entire configuration of the ClearPass Policy Manager
- D. to audit the network for PCI compliance
- E. to display system events like high CPU usage.

Correct Answer: B

---

### QUESTION 4

Refer to the exhibit.



Simulation	Attributes	Results
Name:	<input type="text" value="test"/>	
Description:	<input type="text"/>	
Type:	<input type="text" value="Role Mapping"/>	
<b>Simulation Details</b>		
Service:	<input type="text" value="Table6 Wireless Service hello"/>	
Role Mapping Policy:	<input type="text" value="AD Role mapping policy"/>	
Authentication Source:	<input type="text" value="remote lab AD"/>	
Username:	<input type="text" value="test1"/>	
Test Date and Time:	<input type="text"/>	
<b>Policy Simulation</b>		
<b>Simulation</b> <b>Attributes</b> <b>Results</b>		
<b>Summary -</b>		
Roles	<input type="text" value="AD User, Engineering, Software Engineer, [User Authenticated"/>	


Which statement accurately reflects the status of the Policy Simulation test figure shown?

- A. The test verifies that a client with username test1 can authenticate using EAP-PEAP.
- B. Role mapping simulation verifies if the remote lab AD has the ClearPass server certificate.
- C. Role mapping simulation verifies that the client certificate is valid during EAP-TLS authentication.
- D. The simulation test result shows the firewall roles assigned to the client by the Aruba Controller.
- E. The roles assigned in the results tab are based on rules matched in the AD Role Mapping Policy.

Correct Answer: E

## QUESTION 5

Refer to the exhibit.



Based on the configuration of a Windows 802.1X supplicant shown, what will be the outcome of selecting 'Validate server certificate'?

- A. The server and client will perform an HTTPS SSL certificate exchange.
- B. The client will verify the server certificate against a trusted CA.
- C. The client will send its private key to the server for verification.
- D. The server will send its private key to the client for verification.
- E. The client will send its certificate to the server for verification.

Correct Answer: B