



HPE6-A42^{Q&As}

Implementing Aruba WLAN (IAW) 8

Pass HP HPE6-A42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a42.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibits. Exhibit 1

Exam_Guest General **VLANs** Security Access

VLAN: guest ▼

Hide VLAN details

Named VLANs

Name	ID(S)
employee	51
guest	99
--	1,55

+

VLAN IDs

ID	IPV4 ADDRE...	IPV6 ADDRE...	ENABLE NAT	PORT MEM...	ADMIN STATE	OPERATION...	DHCP SETTI...
99	--	--	Enabled	--	Enabled	N/A	None

Exhibit 2

Exam_Guest General VLANs **Security** Access

Clearpass or other external captive portal

Internal captive portal with authentication

Exhibit 3



Exam_Guest General VLANs Security Access

Default role: exam_guest-guest-logon

A network administrator creates a guest WLAN on an Aruba Mobility Manager (MM). The exhibits show some of the settings for the WLAN. The administrator does not change the policies for those roles. How does the firewall control guest clients when they first connect to the WLAN?

- A. It permits them to send any DHCP traffic and DNS and web traffic to the Internet. It redirects web traffic destined to the private network to a login portal.
- B. It permits them to send any DHCP and DNS and it redirects all web traffic to a login portal.
- C. It permits them to send any DHCP and RADIUS traffic. It redirects all web traffic destined to the Internet to a login portal and drops web traffic destined to the private network.
- D. It does not permit them to send any traffic until they are authenticated.

Correct Answer: D

QUESTION 2

A network administrator configures this policy:

```
ip access-list session Guest
  user any svc-dhcp permit
  user any network 10.0.0.0 255.0.0.0 deny
  user any any permit
```

Users to which this policy applies are unable to receive IP addresses with DHCP. How should the administrator fix the issue?

- A. Change user to any in the user any svc-dhcp permit rule.
- B. Move the user any svc-dhcp permit rule to the bottom of the list.
- C. Remove the deny rule from the policy.
- D. Use the correct service alias in the user any svc-dhcp permit rule.

Correct Answer: D

QUESTION 3

What is one setting that a network administrator can configure for user roles in an Aruba solution?



- A. DHCP pool
- B. ClientMatch rules
- C. source NAT
- D. Maximum session

Correct Answer: D

QUESTION 4

A network administrator creates a user account on an Aruba Mobility Master (MM) with the guest-provisioning role. Which task does this user have the rights to perform?

- A. set up portal pages
- B. create guest user accounts
- C. monitor guest clients
- D. create guest WLANs

Correct Answer: B

QUESTION 5

What is a valid way to deploy an Aruba Mobility Master (MM)?

- A. as a subscription-based service through the Aruba cloud
- B. as a role on a Mobility Controller 7030 that is deployed as a standalone controller
- C. as a virtual appliance on a server that meets the recommended hardware requirements
- D. as a role on a Mobility Controller 7240 that is deployed as a master controller

Correct Answer: C

[Latest HPE6-A42 Dumps](#)

[HPE6-A42 VCE Dumps](#)

[HPE6-A42 Study Guide](#)