



HPE6-A42^{Q&As}

Implementing Aruba WLAN (IAW) 8

Pass HP HPE6-A42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a42.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

A company has a single Aruba Mobility Master (MM)-based solution with two Mobility Controllers (MCs). Network administrators want APs in building 1 to support a WLAN but do not want APs in building 2 to support the WLAN.

How can administrator ensure that they can enforce this rule as they set up the WLAN in the Mobility Master (MM) Interface?

- A. Place APs in different buildings in different AP Groups.
- B. Assign APs in different buildings to different MM nodes.
- C. Configure APs in different buildings to use different frequency bands.
- D. Assign different radio profiles to APs in different buildings.

Correct Answer: A

QUESTION 2

A company has many 7220 controllers in its Aruba wireless architecture. A network administrator wants to use the Traffic Analysis dashboard in order to monitor which type of applications is being used by wireless users.

What is required for this implementation?

- A. Airmatch and ClientMatch must be enabled.
- B. The solution must have active PEFNG licenses.
- C. Firewall policies must include application filtering rules.
- D. WLANs must use the decrypt-tunnel forwarding option.

Correct Answer: B

QUESTION 3

Refer to the exhibit.



Exam_Employee	General	VLANs	Security	Access	Profiles
Profiles for WLAN Exam_Employee					AAA Profile: Exam_Employee
<input checked="" type="checkbox"/> Wireless LAN					AAA Profile: Exam_Employee ▾
<input checked="" type="checkbox"/> Virtual AP					Initial role: logon ▾
<input checked="" type="checkbox"/> Exam_Employee					Mac Authentication
<input checked="" type="checkbox"/> 802.11K					Default Role: guest ▾
<input checked="" type="checkbox"/> AAA					802.1X
<input checked="" type="checkbox"/> Anyspot					Authentication
<input checked="" type="checkbox"/> Hotspot 2.0					Default Role: authenticated ▾
<input checked="" type="checkbox"/> SSID					Download Role from CPM: <input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> WMM Traffic management					Set username from dhcp option 12: <input type="checkbox"/>
					L2 Authentication
					Fall Through: <input type="checkbox"/>
					Multiple Server
					Accounting: <input type="checkbox"/>

The exhibit shows the AAA profile for a WLAN on an Aruba solution. This WLAN uses 802.1X to authenticate users to a RADIUS server. A user successfully authenticates with 802.1X, but the RADIUS server does not send a role assignment.

How does the Aruba firewall handle the role assignment for this user?

- A. It does not assign a role.
- B. It applies the Aruba VSA role employee.
- C. It assigns the logon role.
- D. It assigns the authenticated role.

Correct Answer: D

QUESTION 4

Refer to the exhibits. Exhibit 1



Roles>users1

GLOBAL RULES



RULES FOR THIS ROLE ONLY

- ◇ permit all from source any to alias network1
- ◇ deny all from source any to network
172.16.0.0/255.255.0.0
- ◇ permit all from source user to any destinations

Exhibit 2

**Roles Policies Applications**

Roles > users2

[Show Advanced View](#)**GLOBAL RULES****RULES FOR THIS ROLE ONLY**

- ☐ permit all from source user to network 10.1.1.0/255.255.255.0
- ☐ deny all from source user to network 10.1.2.0/255.255.255.0
- ☐ permit all from source user to network 10.1.0.0/255.255.0.0

A company has an Aruba solution. Client 1 is assigned to the users1 role, and client 2 is assigned to the users2 role. The exhibits show current firewall rules for those roles. The network1 alias used to be 10.1.1.0/24, but the network administrator now changes the network1 alias to 172.16.1.0/24. Client 1 and Client 2 both send a packet destined to 172.16.1.10.

How does the firewall handle these packets?

- A. It permits the packet from Client 1 and denies the packet from Client 2.
- B. It permits both packets.
- C. It denies the packet from Client 1 and permits the packet from Client 2.
- D. It denies both packets.

Correct Answer: A

QUESTION 5

An Aruba solution runs ArubaOS 8 and uses a mobility master architecture. Which feature can network administrators use to balance wireless devices across APs on different channels?

- A. AirMatch
- B. Client Match



C. AppRF

D. ARM

Correct Answer: B

[HPE6-A42 PDF Dumps](#)

[HPE6-A42 Study Guide](#)

[HPE6-A42 Exam Questions](#)