HPE6-A42^{Q&As}

Implementing Aruba WLAN (IAW) 8

Pass HP HPE6-A42 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/hpe6-a42.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

QUESTION 1

What is the minimum space between channels in the 2.4GHz range to prevent overlap?

A. 1 channel

B. 3 channels

C. 5 channels

D. 7 channels

Correct Answer: C

QUESTION 2

Refer to the exhibits. Exhibit 1

| Exam_Guest | General | **VLANs** | Security | Access |

VLAN: guest ▼

Hide VLAN details

Named VLANs	
Name	ID(S)
employee	51
guest	99
--	1,55

+

VLAN IDs							
ID	IPV4 ADDRE...	IPV6 ADDRE...	ENABLE NAT	PORT MEM...	ADMIN STATE	OPERATION...	DHCP SETTI...
99	--	--	Enabled	--	Enabled	N/A	None

Exhibit 2

Exam_Guest   General   VLANs   Security   Access

Clearpass or other external captive portal

Internal captive portal with authentication ————

Exhibit 3

Exam_Guest General VLANs Security Access

Default role: exam_guest-guest-logon

A network administrator creates a guest WLAN on an Aruba Mobility Manager (MM). The exhibits show some of the settings for the WLAN. The administrator does not change the policies for those roles. How does the firewall control guest clients when they first connect to the WLAN?

A. It permits them to send any DHCP traffic and DNS and web traffic to the Internet. It redirects web traffic destined to the private network to a login portal.

B. It permits them to send any DHCP and DNS and it redirects all web traffic to a login portal.

C. It permits them to send any DHCP and RADIUS traffic. It redirects all web traffic destined to the Internet to a login portal and drops web traffic destined to the private network.

D. It does not permit them to send any traffic until they are authenticated.

Correct Answer: D

QUESTION 3

Refer to the exhibits. Exhibit 1

```
←  Managed network  >  Building1  >  Aruba7030_12

Mobility Master                Dashboard         New WLAN
  P1T12-MM                     Configuration     The new WLAN can be viewed in the WLAN List
                                 WLANs           NOTE: The new WLAN has been added to the pending changes list.
                                 Roles & Policies To deploy all pending changes, click Pending Changes at top right.
Managed Network (9)              Access Points
  Building1 (3)                  AP Groups
    Aruba7030_10                 Authentication
    Aruba7030_11                 Services
    Aruba7030_12                 Interfaces
  Building2(3)                   Controllers
  Building3(3)                   System
                                 Tasks
```

Exhibit 2

```
←  Managed network  >  Building1  >  Aruba7030_12

Mobility Master                Dashboard         Exam  Guest          Default      Open
  P1T12-MM                     Configuration     Exam_Employees       default      Enterprise
                               | WLANs
Managed Network (9)              Roles & Policies
  Building1 (3)                  Access Points    +
    Aruba7030_10                 AP Groups
    Aruba7030_11                 Authentication   Exam_Employees General VLANs Security Access
    Aruba7030_12                 Services
  Building2(3)                   Interfaces       Name {ssid}:     Exam_Employees
  Building3(3)                   Controllers      Primary usage:   ⦿ Employee ○ Guest
                                 System           Broadcast on:    All APs      ▾
                                 Tasks            Forwarding mode: Tunnel       ▾
                                                  Broadcast SSID:  Yes          ▾
```

A company has an Aruba Mobility Master (MM)-based solution and needs a new WLAN for the corporate campus. A network administrator completes the creation of this WLAN, as shown in Exhibit 1. When the administrator tries to test a connection to the WLAN in various locations, the WLAN sometimes shows up in the list of WLANs on the client but sometimes does not. The administrator can see the WLAN in the list, as shown in Exhibit 2.

What is the error?

A. The Mobility Master (MM) does not have an active PEFNG license.

B. The WLAN is configured as a hidden SSID.

C. The configuration is not deployed to the Mobility Controller (MC).

D. The WLAN is configured at a lower level in the Managed Network hierarchy.

Correct Answer: D

QUESTION 4

Refer to the exhibit.

A network administrator creates a guest WLAN on an Aruba Mobility Master (MM). The exhibit shows some of the settings for the WLAN.

How should the network administrator handle the Auth server settings?

A. Add an authentication server with the LDAP type and the IP address of the company AD server.

B. Add an authentication server with the LDAP type and IP address 10.10.10.10.

C. Add an authentication server with the RADIUS type and IP address 10.10.10.10.

D. Add an authentication server with the RADIUS type and the IP address of the company AD server.

Correct Answer: C

QUESTION 5

A company has a Mobility Master (MM)-based solution with an employee WLAN Several users report that they can connect to the WLAN, but they cannot access all of the resources that they should.

Where should the network administrator look in the MM interface to find the roles to which these users are actually assigned?

A. Configuration > Policies and Roles

B. Dashboard > Security

C. Dashboard >Clients

D. Configuration >WIANs > Profiles > AAA Profile

Correct Answer: A

HPE6-A42 VCE Dumps   HPE6-A42 Study Guide   HPE6-A42 Braindumps