



HPE6-A44^{Q&As}

Scalable WLAN Design and Implementation (SWDI) 8

Pass HP HPE6-A44 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a44.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator configures a port on a RAP through the association of an AAA profile with 802.1X authentication to a RAP Ethernet port. This port connects to a switch with user desktops attached. The administrator notices that when users connect wirelessly to the RAP, a user role correctly restricts their traffic. But, when users connect with their wired desktops, they have full access to corporate resources.

What must the administrator do to restrict desktop usage based on the users' role assignment?

- A. Apply a server-derived role privacy to the RAP port.
- B. Identify the RAP port as untrusted.
- C. Implement ACLs on the RAP port.
- D. Implement per-user tunnel node on the RAP.

Correct Answer: D

QUESTION 2

Which IEEE standard should user devices support to implement Fast BSS Transition when a network implements wireless roaming (mobility)?

- A. 802.11r
- B. 802.11f
- C. 801.11m
- D. 802.11i

Correct Answer: A

Reference: https://www.arubanetworks.com/techdocs/Instant_83_WebHelp/Content/Instant_UG/WLAN_SSID_conf/Support%20for%20dot11r.htm

QUESTION 3

An administrator has multiple AAA servers, some Microsoft RADIUS and some ClearPass. When 802.1X users authenticate, the administrator wants to ensure that the authentication requests are handled by the appropriate AAA server.

Users enter their username in this format: username@domain_name.

What administrator implement to ensure the correct AAA server processes the authentication request?

- A. server matching rules for the VAP profile



- B. server matching rules for the server group
- C. server matching rules for the AAA profile
- D. server matching rules for the 802.1X profile

Correct Answer: B

QUESTION 4

An administrator configures an ArubaOS switch for per-user tunneled node. Which protocol does the switch use to communicate with the Aruba Mobility Controller (MC)?

- A. GRE
- B. SSL
- C. PAPI
- D. IPSec

Correct Answer: A

QUESTION 5

An administrator wants to dynamically upgrade AppRF on Aruba Mobility Controllers (MC) in a cluster. The administrator does not want to reboot the system at the time of the upgrade.

What should the administrator use for this upgrade?

- A. Aruba image
- B. Upgrade Profiles
- C. Loadable Service Module (LSM)
- D. Cluster Upgrade Manager

Correct Answer: A

[Latest HPE6-A44 Dumps](#)

[HPE6-A44 Study Guide](#)

[HPE6-A44 Braindumps](#)