



HPE6-A47^{Q&As}

Designing Aruba Solutions

Pass HP HPE6-A47 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a47.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

A customer has several clusters of Aruba 325 Instant APs. The customer is happy with the performance of the current APs, but would like to add a Mobility Controller (MC).

What should the architect propose?

- A. the purchase of Universal APs that are the same modes as the current APs.
- B. Aruba ClearPass to onboard the APs as campus APs in the new MC-based deployment
- C. conversion of the existing Instant APs to campus APs (CAPs)
- D. a Virtual Mobility Controller (VMC) which can be licensed to control Instant APs

Correct Answer: D

QUESTION 2

An architect needs to plan an 802.11ac wireless upgrade for a university building. What is one reason that it is important for the architect to identify auditoriums?

- A. Auditoriums typically require a high-density AP design for RF coverage.
- B. Users in Auditoriums often have Bluetooth devices, which can be a source of interference in the 5 GHz band.
- C. Auditoriums typically require the use of 80 MHz channels to meet bandwidth requirements.
- D. Auditoriums often require the use of DFS channels for sufficient 20 MHz channels.

Correct Answer: D

QUESTION 3

Refer to the exhibit.

Exhibit 1 shows the logical plan, and Exhibit 2 shows the BOM created with IRIS. An architect plans to propose two 5406Rzl switches as a VSF fabric for a campus network core. Which issue with the plan should the architect correct?




Exhibit 2

Line#	Part Number	Description	Manufacturer	Unit Price	Quantity	Total	Price List
1.00	J9821A	Aruba 5406R z12 Switch	Hewlett Packard Enter...	\$2,419.00	2	\$4,838.00	USA Price List (USD)
1.01	H1M70E	HPE 3Y FC 24x7 Aruba 5406R z12 Switc SVC [for J9821A]	Hewlett Packard Enter...	\$4,094.00	2	\$8,188.00	USA Price List (USD)
1.02	U4832E	HPE Networks 54xx/82xx z1 Startup SVC [for J9821A]	Hewlett Packard Enter...	\$2,325.00	2	\$4,650.00	USA Price List (USD)
1.03	J9828A	Aruba 5400R 700W PoE+ z12 PSU	Hewlett Packard Enter...	\$799.00	2	\$1,598.00	USA Price List (USD)
1.04	J9828A ABA	INCLUDED: Power Cord - U.S. localization	Hewlett Packard Enter...	incl.	2		
1.05	J9996A	Aruba 2p 40GbE QSFP+ v3 z12 Mod	Hewlett Packard Enter...	\$6,799.00	4	\$27,196.00	USA Price List (USD)
1.06	J9538A	HPE 8-port 10GbE SFP+ v2 z1 Module	Hewlett Packard Enter...	\$4,799.00	4	\$19,196.00	USA Price List (USD)
2.00	JH234A	HPE X242 40G QSFP+ to QSFP+ 1m DAC Cable	Hewlett Packard Enter...	\$419.00	2	\$838.00	USA Price List (USD)
Quote Total						\$66,504.00	

- A. Add two QSFP+ MP0 SR4 transceivers.
- B. Change the v2 modules to v3 modules.
- C. Add stacking modules and cables.
- D. Change the power supply type.

Correct Answer: B

QUESTION 4


A customer needs a wireless solution upgrade. Among the devices that need wireless access are printers. What information about the printers does the architect need to plan the wireless solution? (Select two.)

- A. whether the printers are physically locked down
- B. the identify of users who need to access printers
- C. whether the printers support Power over Ethernet (PoE)
- D. whether the printers support 802.1X
- E. the 802.11 standards supported by the printer

Correct Answer: C

**QUESTION 5**

Refer to the exhibit.



An architect selects 5406R switches for the aggregation layer.

What is the maximum bandwidth possible between the aggregation and core layers using 8 strands of OM4 MM fiber at the distances indicated in the diagram?

- A. 60 Gbps
- B. 160 Gbps
- C. 200 Gbps
- D. 320 Gbps

Correct Answer: D

[Latest HPE6-A47 Dumps](#)

[HPE6-A47 VCE Dumps](#)

[HPE6-A47 Practice Test](#)