



HPE6-A70^{Q&As}

Aruba Certified Mobility Associate Exam

Pass HP HPE6-A70 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a70.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which Mobility Master (MM) dashboard should an administrator access to view a list of rogue and interfering APs?

- A. Potential issues
- B. Security
- C. Performance
- D. Network

Correct Answer: B

QUESTION 2

Which task can an Aruba Air Monitor (AM) perform?

- A. Analyze wireless traffic patterns at the application level.
- B. Optimize RF through the AP channel and transmit power plans.
- C. Analyze RF signals to determine the cause of non-802.11 interference.
- D. Help to detect rogue APs in the environment.

Correct Answer: D

QUESTION 3

What is one difference between captive portal authentication and 802.1X authentication?

- A. 802.1X authentication always authenticates the wireless client, while captive portal authentication always authenticates the wireless user.
- B. 802.1X authentication occurs at Layer 2, while captive portal authentication occurs at Layer 3.
- C. 802.1X authentication must use an LDAP server, while captive portal authentication can use a RADIUS server or an LDAP server.
- D. 802.1X authentication is typically implemented without encryption, while captive authentication is often combined with WPA or WPA2.

Correct Answer: B

QUESTION 4

Network administrators use the wizard to create a WLAN that uses WPA2-Enterprise security to a RADIUS server at 10.21.98.55. They do not manually change any settings. Which device determines the EAP type that the wireless clients



must support?

- A. Mobility Master (MM)
- B. Mobility Controller (MC)
- C. RADIUS server
- D. AP

Correct Answer: C

QUESTION 5

A network administrator examines a list of 2.4GHz clients with low performance in the Mobility Master (MM) dashboard. Which property for a client should pose a concern as a potential performance issue?

- A. Radio PHY of HT 20MHz
- B. Max speed of 72Mbps
- C. SNR of 18
- D. Usage of 10 MB

Correct Answer: C

[HPE6-A70 PDF Dumps](#)

[HPE6-A70 VCE Dumps](#)

[HPE6-A70 Study Guide](#)