



HPE6-A71^{Q&As}

Aruba Certified Mobility Professional Exam

Pass HP HPE6-A71 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hpe6-a71.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What are the responsibilities of a cluster leader in a cluster of Aruba Mobility Controllers (MCs)? (Choose two.)

- A. To identify primary and secondary Mobility Controllers for APs
- B. To create a table to determine how a wireless client maps to a cluster member
- C. To identify a backup cluster leader for redundancy
- D. To manage the configuration of cluster members
- E. To automatically load balance clients if the load across cluster members changes

Correct Answer: BE

QUESTION 2

Which protocol is used between Aruba Mobility Controllers (MC) and ArubaOS-Switches to negotiate tunneled node?

- A. GRE
- B. IPSec
- C. SNMP
- D. PAPI

Correct Answer: D

QUESTION 3

Refer to the exhibit.



Last synchronization time: Thu Apr 13 07:42:48 2017

To Master Switch at 10.254.10.101: succeeded

WMS Database backup file size: 39121 bytes

Local User Database backup file size: 29694 bytes

Global AP Database backup file size: 13375 bytes

IAP Database backup file size: 3750 bytes

Airgroup Database backup file size: 3052 bytes

License Database backup file size: 5358 bytes

CPSec Database backup file size: 3224 bytes

Bocmgr Database backup file size: 6016 bytes

Synchronization took 1 second

1 synchronization attempted

0 synchronization have failed

Periodic synchronization is enabled and runs every 60 minutes

Synchronization doesn't include Captive Portal Custom data

Airmatch database gets synchronized periodically. Last synchronization time:

2017-04-13 07:22:2019:20:24

What can be determined from the command output shown in the exhibit?

- A. The synchronized data is protected by VRRP.
- B. The command was executed on the standby Mobility Master (MM).
- C. The synchronization period is at its default value.
- D. The other Mobility Master (MM) is the active license server.

Correct Answer: C

QUESTION 4

An administrator manages an Aruba wireless solution, deployed in a company with locations across the world. In one country, the local government organization that controls wireless transmissions increases the maximum EIRP allowed for certain channels.

Which component does the administrator need to update on the Mobility Master (MM) to accommodate this change?

- A. the Controller port configuration
- B. the regulatory-cert file
- C. the AP system profile



D. the AP Group configuration

Correct Answer: B

QUESTION 5

Which two protocols does AirWave use to monitor Aruba Mobility Controllers ()?

- A. PAPI and AMON
- B. SNMP and AMON
- C. PAPI and GRE
- D. SNMP and SSH

Correct Answer: B

[HPE6-A71 Study Guide](#)

[HPE6-A71 Exam Questions](#)

[HPE6-A71 Braindumps](#)