



# HQT-6740<sup>Q&As</sup>

Hitachi Vantara Qualified Professional – Storage administration

## Pass Hitachi HQT-6740 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/hqt-6740.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Using the Element Manager feature of Hitachi Device Manager, which term describes the storage system port-to-port connections shared by external LUNs on a VSP?

- A. Port Group ID
- B. Path Group ID
- C. Path Pool ID
- D. Port Pool ID

Correct Answer: B

---

**QUESTION 2**

If all volumes are unallocated from a host, which two dialog options are available using Hitachi Device Manager? (Choose two.)

- A. Return Capacity to Pool
- B. Delete Volume
- C. Shred Volume
- D. Delete Host Group

Correct Answer: BD

---

**QUESTION 3**

A storage administrator managing a Hitachi Device Manager (HDvM) environment has used Hitachi Storage Navigator Modular to create a LUN on an HUS110 system. What should be done next for this change to be reflected within HDvM?

- A. Perform a LUN refresh.
- B. Perform a host refresh.
- C. Execute the save function.
- D. Perform a subsystem refresh.

Correct Answer: D

---

**QUESTION 4**

A customer has identified a performance bottleneck with Online Transaction Processing (OLTP) production host LUNs.



The performance improvement plan includes a change to the Hitachi Dynamic Link Manager load balancing algorithm which is currently set to Round Robin. Which setting should the customer use?

- A. Least I/O
- B. Least block
- C. Extended Round Robin
- D. Extended Least block

Correct Answer: A

---

#### QUESTION 5

When enabled, what does the path health checking feature of Hitachi Dynamic Link Manager (HDLM) do?

- A. It causes HDLM to rotate I/Os across all healthy paths.
- B. It causes HDLM to automatically check the path status at regular intervals.
- C. It enables the last I/O recovery routine to execute upon path failure.
- D. It logs path status information and generate path health reports.

Correct Answer: B

[Latest HQT-6740 Dumps](#)

[HQT-6740 PDF Dumps](#)

[HQT-6740 Practice Test](#)