

JAVASCRIPT-DEVELOPER-IQ&As

Salesforce Certified JavaScript Developer I

Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/javascript-developer-i.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

Refer to the following code:

```
01 class Ship (
02 constructor(size) (
0.3
     this.size = size;
04 )
05 1
06
07 class FishingBoat extends Ship (
08 constructor(size, capacity) (
09
      //Missing code
10
     this.capacity = capacity;
11 )
12 displayCapacity() {
13
     console.log('The boat has a capacity of $(this.capacity) people.');
14
15 )
16
17 let myBoat = new FishingBoat('medium', 10);
18 myBoat.displayCapacity();
```

Which statement should be added to line 09 for the code to display \\'The boat has a capacity of 10 people?

A. super.size = size;

B. ship.size size;

C. super (size);

D. this.size = size;

Correct Answer: D

QUESTION 2

Refer to following code:

```
class Vehicle {
constructor(plate) {
  This.plate =plate;
}
```

}

Class Truck extends Vehicle {

constructor(plate, weight) {
//Missing code
This.weight = weight;
}
displayWeight() {
console.log(`The truck \${this.plate} has a weight of \${this.weight}lb.\\');}}
Let myTruck = new Truck(`123AB\\', 5000);
myTruck.displayWeight();
Which statement should be added to line 09 for the code to display `The truck 123AB has a weight of 5000lb.\\'?
A. Super.plate =plate;
B. super(plate);
C. This.plate =plate;
D. Vehicle.plate = plate;
Correct Answer: B

QUESTION 3

A developer is required to write a function that calculates the sum of elements in an array but is getting undefinedevery time the code is executed. The developer needs to find what is missing in the code below.

```
Const sumFunction = arr => {

Return arr.reduce((result, current) => {

//

Result += current;

//

), 10);

Which option makes the code work as expected?

A. Replace line 02 with return arr.map(( result, current) => (

B. Replace line 04 with result = result +current;

C. Replace line 03 with if(arr.length == 0) ( return 0; )
```

D. Replace line 05 with return result;

Correct Answer: D

QUESTION 4

CORRECT TEXT Refer the following code

```
let array =[1,2,3,4,4,5,4,4];
for(let i=0;i<array.length;i++)
{
    if(array[i]===4) {
        array.splice(i,1);
        i--;
    }
    alert(array);</pre>
```

what is the value of array after code executes?

A. 1,2,3,5

B. PlaceHolder

C. PlaceHolder

D. PlaceHolder

Correct Answer: A

QUESTION 5

A developer creates a simple webpage with an input field. When auser enters text in the input field and clicks the button, the actual value of the field must be displayed in the console.



Here is the HTML file content:

Display
The developer wrote the javascript code below:
Const button = document.querySelector(`button\\');
button.addEvenListener(`click\\', () => (
Const input = document.querySelector(`input\\');
console.log(input.getAttribute(`value\\'));
When the user clicks the button, the output is always "Hello".
What needs to be done make this code work as expected?
A. Replace line 04 with console.log(input .value);
B. Replace line 03 with const input = document.getElementByName(`input\\');
C. Replace line 02 with button.addEventListener("onclick", function() {
D. Replace line 02 with button.addCallback("click", function() {
Correct Answer: A

JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I PDF Dumps

I VCE Dumps

I Braindumps