



JK0-019^{Q&As}

CompTIA Network+ Certification Exam

Pass CompTIA JK0-019 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/JK0-019.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Drag and drop the fiber cable connection types to the appropriate image.

Select and Place:


FC LC (single) LC (duplex) SC ST

Correct Answer:



QUESTION 2

Workstations are unable to access the internet after a recent power outage. Configure the appropriate devices to ensure All workstations have internet connectivity.



Correct Answer: The switches are not connected properly. Connect Switch 1 to switch three on the last port and then connect the last port of the switch 3 to the first port of switch 2. In this way the switches will be connected properly. Click Enable All to enable the switches

QUESTION 3

You have been tasked with testing a CAT5 cable. A summary of the test results can be found on the screen.

Step 1: Select the tool that was used to create the cable test results.

Step 2: Interpret the best results and select the options that explains the results.



Step 2: Interpret the best results and select the options that explains the results.

Cable Test

Step 1: Select the tool that was used to create the cable test results.

Cable Test Result		
1, 2	Open	7ft
3, 6	Short	7ft
4, 5	Open	7ft
7, 8	Open	7ft

Tool Choices:

- ☐ Multimeter
- ☐ Toner Probe
- ☐ Protocol Analyzer
- ☐ OTDR
- ☐ Cable Certifier
- ☐ Crimper
- ☐ Punch Down Tool

Step 2: Interpret the test results and select the option that explains the results.
After you are done with your analysis, click the 'Submit Cable Test Analysis' button.

☐ Correctly crimped cable

☐ Incorrectly crimped cable

Correct Answer: Cable certifier

QUESTION 4

GigSwitch1 is currently configured with a speed of 100 and Duplex is set to Auto on all interfaces. Interface 2 will be connected to GigSwitch2 which is used for all departments.

Interface 1 will be used for HR traffic only.

GigSwitch1 needs to be configured with the following parameters:

Configure the necessary protocol to prevent switching loops

Configure GigSwitch1 with a /24 IP address for management

Traffic across Interface 1 needs to be forced to accept and receive up to 100Mbps data at the same time

Traffic across Interface 2 needs to be forced to use Gigabit speeds and maximum performance

Drag and drop the appropriate configurations to their corresponding requirements. All placeholders must be filled. Not all configurations will be used.

Select and Place:



Global Switch Configuration		Interface 1	Interface 2
1	<input type="text"/>	1	<input type="text"/>
2	<input type="text"/>	2	<input type="text"/>
100/Full	1000/Full	IP Address 192.168.1.1 255.255.255.240	VLAN trunking/ multiplexing
100/Auto	1000/Auto	VLAN 10 HR	Enable STP
Auto/Full	IP Address 192.168.1.1 255.255.240.0	VLAN 20 Sales	Enable AAA
Auto/Half	IP Address 192.168.1.1 255.255.255.0	VLAN 30 OPS	Enable SNMPv3

Correct Answer:



2022 Latest pass4itsure JK0-019 PDF and VCE dumps Download

Global Switch Configuration		Interface 1	Interface 2
1	IP Address 192.168.1.1 255.255.255.240	1	VLAN 10 HR
2	Enable STP	2	100/Full
	100/Full		1000/Full
	1000/Full		IP Address 192.168.1.1 255.255.255.240
	100/Auto		VLAN 10 HR
	1000/Auto		Enable STP
	Auto/Full		Enable AAA
	Auto/Half		Enable SNMPv3
	IP Address 192.168.1.1 255.255.240.0		VLAN 20 Sales
	IP Address 192.168.1.1 255.255.255.0		VLAN 30 OPS

QUESTION 5

Drag and drop each networking tool to the MOST appropriate descriptor. Each tool may only be used once.

Select and Place:



Used to verify known good patch cables		
Used to correct open short on a cable		
Used to determine which port a CAT6 cable is connected to		
Used to verify functionality after a NIC is installed		
Used to terminate a cable at a 110 block		

Correct Answer:



Used to verify known good patch cables



Used to correct open short on a cable



Used to determine which port a CAT6 cable is connected to



Used to verify functionality after a NIC is installed



Used to terminate a cable at a 110 block





To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.