



JN0-102^{Q&As}

Juniper Networks Certified Internet Associate, Junos(JNCIA-Junos)

Pass Juniper JN0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-102.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit A customer reports that they have recently lost connectivity to a remote site over a shared architecture. Referring to the exhibit, what is the problem?

```
user@router> show rip statistics
```

```
RIPv2 info: port 520; holddown 120s.
```

```
    rts learned    rts held down    rqsts dropped    resps dropped
           0             0             0             0
```

```
fe-1/2/0.1: 0 routes learned; 0 routes advertised; timeout 180s; update
interval 30s
```

Counter	Total	Last 5 min	Last minute
Updates Sent	2669	0	0
Triggered Updates Sent	2	0	0
Responses Sent	0	0	0
Bad Messages	0	0	0
RIPv1 Updates Received	0	0	0
RIPv1 Bad Route Entries	0	0	0
RIPv1 Updates Ignored	0	0	0
RIPv2 Updates Received	2675	0	0
RIPv2 Bad Route Entries	0	0	0
RIPv2 Updates Ignored	0	0	0
Authentication Failures	0	11	2
RIP Requests Received	0	0	0
RIP Requests Ignored	0	0	0
none	0	0	0

- A. The authentication method or key has been changed.
- B. The remote link is down.
- C. The remote router has been powered off.
- D. The remote site router has been configured for OSPF.

Correct Answer: A

QUESTION 2

Click the Exhibit.



```
[edit]
user@router# show interfaces
ge-0/0/2 {
  unit 0 {
    family inet {
      address 172.17.23.10/30;
    }
  }
}
```

Your Junos device is using the configuration shown in the exhibit. You notice that the 172.17.23.10/30 address is incorrect and should be 172.17.23.9/30.

What are two commands that would solve this problem? (Choose two.)

- A. [edit interfaces]user@router# set ge-0/0/2.0 family inet address 172.17.23.9
- B. [edit interfaces]user@router# replace pattern 172.17.23.10 with 172.17.23.9
- C. [edit interfaces]user@router# rename ge-0/0/2.0 family inet address 172.17.23.10/30 to address 172.17.23.9/30
- D. [edit interfaces]user@router# delete ge-0/0/2.0 family inet address 172.17.23.10

Correct Answer: BC

QUESTION 3

What are two valid actions for a routing policy? (Choose two.)

- A. discard
- B. next policy
- C. accept
- D. ignore

Correct Answer: BC

QUESTION 4

Which keystroke combination allows users to move the cursor to the beginning of the command line without deleting text?

- A. Ctrl + w
- B. Ctrl + a



C. Ctrl + b

D. Ctrl + u

Correct Answer: B

QUESTION 5

When configuring more than one archival site, which statement is true?

- A. The system will first attempt the transfer using the URL configured last.
- B. The system will transfer the configuration to each archival site.
- C. The system will not transfer to a secondary site unless the previous site fails.
- D. The system will transfer using secure copy protocol (SCP) before attempting FTP.

Correct Answer: C

[JN0-102 PDF Dumps](#)

[JN0-102 VCE Dumps](#)

[JN0-102 Exam Questions](#)