

# JN0-1101<sup>Q&As</sup>

Juniper Networks Certified Design Associate

# Pass Juniper JN0-1101 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/jn0-1101.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



### https://www.pass4itsure.com/jn0-1101.html

2024 Latest pass4itsure JN0-1101 PDF and VCE dumps Download

#### **QUESTION 1**

In a network design using the traditional tiered structure, which two tiers connect to untrusted domains? (Choose two.)

- A. access
- B. WAN edge
- C. core
- D. aggregation

Correct Answer: BD

#### **QUESTION 2**

When implementing a top-down design methodology, where would you begin collecting information to start the design process?

- A. the CEO of the corporation
- B. the Application Layer of the OSI model
- C. the currently-owned network equipment
- D. the WAN edge

Correct Answer: B

#### **QUESTION 3**

You are evaluating an existing network to determine requirements for a network upgrade. In this scenario, which statement is true?

- A. A network baseline identifies devices that do not have redundant components.
- B. A network baseline identifies traffic growth patterns across network devices.
- C. A network baseline identifies how many users are connected to the network.
- D. A network baseline identifies the type and level of traffic load on the network.

Correct Answer: D

#### **QUESTION 4**

What is the first step of business continuity planning?

A. know your network


## https://www.pass4itsure.com/jn0-1101.html

- B. test the plan
- C. assess the risk
- D. formulate the plan

Correct Answer: A

#### **QUESTION 5**

Click the Exhibit button.



Referring to the exhibit, you are designing a Layer 2 data center and you want to make sure that all the

links between the access tier and the aggregation tier are used.

What should you do to accomplish this task?

- A. Use VRRP on Agg-1 and Agg-2.
- B. Place Agg-1 and Agg-2 in a Virtual Chassis.
- C. Use RSTP on all devices.
- D. Use BGP load balancing on all devices.

Correct Answer: B

JN0-1101 PDF Dumps JN0-1101 Exam Questions

JN0-1101 Braindumps