

# JN0-1301<sup>Q&As</sup>

Data Center Design, Specialist (JNCDS-DC)

# Pass Juniper JN0-1301 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/jn0-1301.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.pass4itsure.com/jn0-1301.html

2024 Latest pass4itsure JN0-1301 PDF and VCE dumps Download

#### **QUESTION 1**

What are two components of a class-of-service (CoS) switching configuration? (Choose two.)

- A. forwarding tables
- B. bandwidth
- C. port speed
- D. forwarding class

Correct Answer: BD

#### **QUESTION 2**

Your SAN team must transmit FC between multiple locations in a data center. To keep the cost of the project to a minimum, your management decides that using FCoE would be the most cost-effective approach.

In this scenario, which architecture will support FCoE losslessly?

- A. Layer 3 Clos
- B. Virtual Chassis
- C. Virtual Chassis Fabric
- D. VXLAN overlay

Correct Answer: C

#### **QUESTION 3**

You are designing an IP fabric using IBGP as your underlay.

In this scenario, which statement is correct?

- A. Confederations are not allowed in an IBGP IP traffic.
- B. Route reflectors should be implemented on your spine devices.
- C. IBGP ensures that traffic will be load balanced by default.
- D. You must ensure that you have a full mesh with all devices.

Correct Answer: B

#### **QUESTION 4**



### https://www.pass4itsure.com/jn0-1301.html

2024 Latest pass4itsure JN0-1301 PDF and VCE dumps Download

Which two statements about heating and cooling design are correct? (Choose two.)

- A. All devices in a rack should be installed so that the port panels are on the same regardless of the air flow direction.
- B. All devices in a rack should be installed so that the air flow is in the same direction regardless of the port panel location.
- C. In the hot-aisle/cold-aisle design, air enters through vents in the hot-aisle and exists through cold-aisle vents.
- D. The hot-aisle/cold-aisle design maximizes the cooling potential of the air conditioning system.

Correct Answer: CD

#### **QUESTION 5**

Which two statements are true about IP fabrics? (Choose two.)

- A. IP-based applications do not require an overlay network to maintain connectivity.
- B. Applications that require security needs an overlay to provide the security.
- C. Applications that require Layer 2 adjacencies require an overlay network to maintain connectivity.
- D. IP fabrics can natively support both Layer 2 and Layer 3 applications.

Correct Answer: CD

JN0-1301 PDF Dumps

JN0-1301 VCE Dumps

JN0-1301 Practice Test