



JN0-1301^{Q&As}

Data Center Design, Specialist (JNCDS-DC)

Pass Juniper JN0-1301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-1301.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


You want to provide Layer 2 connectivity to a backup data center or to a disaster recovery site. What would you use to accomplish this task?

- A. Data Center Interconnect
- B. network redundancy
- C. SDN
- D. SAN protocols

Correct Answer: A

QUESTION 2

Click the Exhibit button. Referring to the exhibit, you want the vSRX device to inspect inter-VM traffic. Which two actions must you take to accomplish this task? (Choose two.)



- A. You must put the connections between the VMs and the vSRX device in separate VLANs.
- B. You must put the connections between the VMs and the vSRX device in separate vSwitches.



- C. You must put the connection between the VMs and the vSRX device in the same VLAN.
- D. You must put the connection between the VMs and the vSRX device in the same vSwitch.

Correct Answer: AB

QUESTION 3

Which two statements are correct about current data center designs? (Choose two.)

- A. Network functions are being virtualized.
- B. Public IP addresses are easy to obtain but not manage.
- C. There is a proliferation of distributed applications.
- D. There is a proliferation of monolithic applications.

Correct Answer: AC

QUESTION 4


Which two statements are correct about a VCF deployment? (Choose two.)

- A. You are allowed up to four spine devices.
- B. The fabric is managed as a single logical device.
- C. An EX4300 switch must be deployed as a spine device.
- D. You must deploy a QFX5100 as a leaf device.

Correct Answer: AB

QUESTION 5

Click the Exhibit button. You are creating a resilient IP fabric for a data center based on a Clos architecture. Referring to the exhibit, which statement is true?



- A. A physical link must be added between spine 2 and spine 3 and between spine 1 and spine 4.
- B. Additional physical links between spine 1 and spine 2 and between spine 3 and spine 4 must be added for resiliency.
- C. No physical links need to be added or removed.
- D. The physical links between spine 1 and spine 2 and between spine 3 and spine 4 must be removed.

Correct Answer: D

[JN0-1301 VCE Dumps](#)

[JN0-1301 Practice Test](#)

[JN0-1301 Exam Questions](#)