VCE & PDF
Pass4itSure.com

JN0-1302^{Q&As}

Data Center Design Specialist (JNCDS-DC)

Pass Juniper JN0-1302 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/jn0-1302.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

QUESTION 1

You are inspecting a small data center your company just purchased. You notice several blank panels and cable management system components in a storage room that are not installed on the equipment racks. In this scenario, which two statements would you include in your inspection report? (Choose two.)

A. The blank panels were removed to improve cooling air flow through the racks.

B. The cable management system function is cosmetic only and is not necessary.

C. The cable management system should be installed as soon as possible.

D. The blank panels should be installed as soon as possible.

Correct Answer: CD

QUESTION 2

Your Junos device is configured with dual Routing Engines.

In this scenario, which feature must be activated to preserve both the control and forwarding planes?

A. graceful Routing Engine switchover only

B. graceful Routing Engine switchover with graceful restart and non-stop routing

C. graceful Routing Engine switchover with graceful restart

D. graceful Routing Engine switchover with non-stop routing

Correct Answer: D

QUESTION 3

You must deploy a solution within your data center that will provide capacity planning for your virtual machine environment.

In this scenario, which Juniper Networks solution would accomplish this task?

A. Juniper Secure Analytics

B. Junos Space

C. Contrail Cloud

D. Contrail Insights

Correct Answer: B

QUESTION 4

You are asked to design a solution for your data center EVPN/VXLAN fabric that will allow connectivity for all of your service platforms, such as firewalls and load balancers into a dedicated pair of border leaf devices.

Which three Juniper Networks platforms would support this requirement? (Choose three.)

A. MX Series

B. QFX5120 Series

C. SRX Series

D. EX4300-MP Series

E. QFX10000 Series

Correct Answer: ABC

QUESTION 5

Click the Exhibit button.

For a fully configured and functional IP fabric underlay as shown in the exhibit, how many external BGP

neighbors are expected to be in the established state for Spine 1?

A. 2

B. 5

C. 4

D. 3

Correct Answer: C