



# JN0-1331<sup>Q&As</sup>

Security Design - Specialist (JNCDS-SEC)

**Pass Juniper JN0-1331 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-1331.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

You are deploying a data center Clos architecture and require secure data transfers within the switching fabric.

In this scenario, what will accomplish this task?

- A. MACsec encryption
- B. LAG Layer 2 hashing
- C. IRB VLAN routing between hosts
- D. stacked VLAN tagging on the core switches

Correct Answer: C

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/example/private-vlans-irbinterfaces-mx-series-l2ng-configuring.html](https://www.juniper.net/documentation/en_US/junos/topics/example/private-vlans-irbinterfaces-mx-series-l2ng-configuring.html)

---

**QUESTION 2**

You must allow applications to connect to external servers. The session has embedded IP address information to enable the remote system to establish a return session.

In your design, which function should be implemented?

- A. source NAT
- B. application layer gateway
- C. destination NAT
- D. HTTP redirect

Correct Answer: A

---

**QUESTION 3**

You are designing a data center security architecture. The design requires automated scaling of security services according to real-time traffic flows.

Which two design components will accomplish this task? (Choose two.)

- A. telemetry with an SDN controller
- B. JFlow traffic monitoring with event scripts
- C. VNF security devices deployed on x86 servers
- D. VRF segmentation on high-capacity physical security appliances

Correct Answer: BC



Reference: [https://www.juniper.net/documentation/en\\_US/learn-about/LearnAbout\\_NFV.pdf](https://www.juniper.net/documentation/en_US/learn-about/LearnAbout_NFV.pdf)

---

#### QUESTION 4

You are working with a customer to create a design proposal using SRX Series devices. As part of the design, you must consider the requirements shown below:

1.

You must ensure that every packet entering your device is independently inspected against a set of rules.

2.

You must provide a way to protect the device from undesired access attempts.

3.

You must ensure that you can apply a different set of rules for traffic leaving the device than are in use for traffic entering the device.

In this scenario, what do you recommend using to accomplish these requirements?

- A. firewall filters
- B. intrusion prevention system
- C. unified threat management
- D. screens

Correct Answer: A

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/example/firewall-filter-statelessexample-trusted-source-block-telnet-and-ssh-access.html](https://www.juniper.net/documentation/en_US/junos/topics/example/firewall-filter-statelessexample-trusted-source-block-telnet-and-ssh-access.html)

---

#### QUESTION 5

You will be managing 1000 SRX Series devices. Each SRX Series device requires basic source NAT to access the Internet.

Which product should you use to manage these NAT rules on the SRX Series devices?

- A. Security Director
- B. CSO
- C. Contrail
- D. JSA

Correct Answer: A



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/jn0-1331.html>

2024 Latest pass4itsure JN0-1331 PDF and VCE dumps Download

---

[JN0-1331 VCE Dumps](#)

[JN0-1331 Exam Questions](#)

[JN0-1331 Braindumps](#)