



JN0-1331^{Q&As}

Security Design - Specialist (JNCDS-SEC)

Pass Juniper JN0-1331 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-1331.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two features are used to stop IP spoofing in and out of your network? (Choose two.)

- A. GeoIP
- B. firewall filters
- C. unicast reverse path forwarding
- D. IPS

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-attackerevasion-technique.html

QUESTION 2

You want to deploy a VPN that will connect branch locations to the main office. You will eventually add additional branch locations to the topology, and you must avoid additional configuration on the hub when those sites are added.

In this scenario, which VPN solution would you recommend?

- A. Site-to-Site VPN
- B. Hub-and-Spoke VPN
- C. AutoVPN
- D. Group VPN

Correct Answer: C

Reference: <https://www.juniper.net/assets/us/en/local/pdf/solutionbriefs/3510477-en.pdf>

QUESTION 3

You are creating a security design proposal for an enterprise customer. As part of the design, you are implementing 802.1x authentication on your EX Series devices.

In this scenario, which two statements are correct? (Choose two.)

- A. The supplicant is the device that prevents the authenticator's access until it is authenticated
- B. The supplicant is the device that is being authenticated
- C. The authenticator is the device that is being authenticated
- D. The authenticator is the device that prevents the supplicant's access until it is authenticated



Correct Answer: BD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/802-1x-authenticationswitching-devices.html

QUESTION 4

You are designing a data center security solution for a customer. The customer asks that you provide a DDoS solution. Several IPsec tunnels will be terminated at the data center gateway.

Which type of security is your customer asking you to implement?

- A. segmentation
- B. intra-data center policy enforcement
- C. perimeter protection
- D. compliance

Correct Answer: C

QUESTION 5

You work for an ISP that wants to implement remote-triggered black hole (RTBH) filters. What are three considerations in this scenario? (Choose three.)

- A. Source RTBH can block legitimate traffic on the network
- B. BGP FlowSpec improves the RTBH model by implementing dynamic firewall filters
- C. Source RTBH requires uRPF to be implemented on the service provider's network core
- D. Destination RTBH requires uRPF to be implemented on the service provider's network edge
- E. Destination RTBH essentially completes the attack on the victim's IP

Correct Answer: ABC

[Latest JN0-1331 Dumps](#)

[JN0-1331 PDF Dumps](#)

[JN0-1331 VCE Dumps](#)