



# JN0-1331<sup>Q&As</sup>

Security Design - Specialist (JNCDS-SEC)

## Pass Juniper JN0-1331 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-1331.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



You are designing the virtualized server deployment shown in the exhibit in your data center. The vSRX device is acting as a Layer 2 firewall and the two VMs must communicate through the vSRX device.

Which two actions must you perform to accomplish this task? (Choose two.)

- A. Place both VMs in the same vSwitch
- B. Place both VMs in the same VLAN
- C. Place both VMs in different vSwitches
- D. Place both VMs in different VLANs

Correct Answer: BC

**QUESTION 2**

You are designing an Internet security gateway (ISG) for your company and are considering a centralized versus a distributed model for ISGs.

Which two statements are correct in this scenario? (Choose two.)



- A. Distributed ISGs typically have less latency compared to centralized ISGs
- B. Distributed ISGs reduce bandwidth for end users
- C. Distributed ISGs typically require extra bandwidth for management
- D. Distributed ISGs are harder to manage compared to centralized ISGs

Correct Answer: AD

---

### QUESTION 3

You are required to design a university network to meet the conditions shown below.

Users connected to the university network should be able to access the Internet and the research department lab network.

The research department lab network should not be able to reach the Internet.

Which three actions satisfy the design requirements? (Choose three.)

- A. Use a global permit policy for Internet traffic
- B. Use a global deny security policy for the research lab
- C. Use separate security zones for each department
- D. Use the default deny security policy for the research lab
- E. Use a static NAT rule between the internal zones for the research lab

Correct Answer: ACD

---

### QUESTION 4

You are deploying Security Director with the logging and reporting functionality for VMs that use SSDs. You expect to have approximately 20,000 events per second of logging in your network.

In this scenario, what is the minimum number of logging and reporting devices that should be used?

- A. 2
- B. 4
- C. 1
- D. 3

Correct Answer: C

Reference: [https://www.juniper.net/documentation/en\\_US/junos-space17.1/topics/task/multi-task/junosspace-sd-log-collector-installing.html](https://www.juniper.net/documentation/en_US/junos-space17.1/topics/task/multi-task/junosspace-sd-log-collector-installing.html)



### QUESTION 5

Which solution centralizes the management of security devices in your data center?

- A. Juniper Networks Secure Analytics
- B. J-Web
- C. Junos Space Security Director
- D. Junos CLI

Correct Answer: C

[JN0-1331 VCE Dumps](#)

[JN0-1331 Study Guide](#)

[JN0-1331 Exam Questions](#)