



JN0-1331^{Q&As}

Security Design - Specialist (JNCDS-SEC)

Pass Juniper JN0-1331 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-1331.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are asked to design a secure enterprise WAN where all payload data is encrypted and branch sites communicate directly without routing all traffic through a central hub.

Which two technologies would accomplish this task? (Choose two.)

- A. group VPN
- B. AutoVPN
- C. MPLS Layer 3 VPN
- D. Auto Discovery VPN

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discoveryvpns.html

QUESTION 2

You are asked to include anti-malware features into an existing network design. Traffic from the infected machines must be moved to a quarantined VLAN.

Which product will provide this segregation?

- A. screens
- B. Sky ATP
- C. unified threat management
- D. Software Defined Secure Network

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/release-independent/sky-atp/informationproducts/pathway-pages/sky-atp-admin-guide.pdf

QUESTION 3

You are designing a data center security solution for a customer. The customer asks that you provide a DDoS solution. Several IPsec tunnels will be terminated at the data center gateway.

Which type of security is your customer asking you to implement?

- A. segmentation
- B. intra-data center policy enforcement
- C. perimeter protection



D. compliance

Correct Answer: C

QUESTION 4

You have multiple SRX chassis clusters on a single broadcast domain. Why must you assign different cluster IDs in this scenario?

- A. to avoid MAC address conflicts
- B. to avoid control link conflicts
- C. to avoid node numbering conflicts
- D. to avoid redundancy group conflicts

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/chassis-cluster-srx-full-mesh-configuring.html#:~:text=If%20you%20have%20multiple%20SRX,other%20device%20is%20node%20.

QUESTION 5

You are using SRX Series devices to secure your network and you require sandboxing for malicious file detonation. However, per company policy, you cannot send potentially malicious files outside your network for sandboxing.

Which feature should you use in this situation?

- A. Sky ATP
- B. UTM antivirus
- C. IPS
- D. JATP

Correct Answer: D

Juniper Advanced Threat Prevention Appliance Reference: <https://www.juniper.net/us/en/products-services/security/srx-series/datasheets/1000654.page>

[Latest JN0-1331 Dumps](#)

[JN0-1331 VCE Dumps](#)

[JN0-1331 Practice Test](#)