



JN0-1332^{Q&As}

Security Design Specialist (JNCDS-SEC)

Pass Juniper JN0-1332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-1332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which statement about IPsec tunnels is true?

- A. They are used to provide in-depth packet inspection for traffic leaving your network
- B. They are used to prevent routing loops in a Layer 2 environment
- C. They are used to secure and encrypt traffic between tunnel endpoints
- D. They are used to combine multiple interfaces into a single bundle

Correct Answer: C

QUESTION 2

You are designing an SDN security solution for a new campus network. The network will consist of Juniper Networks Policy Enforcer, Juniper Networks switches, third-party switches, and SRX Series devices. The switches and the SRX Series devices will be used as security enforcement points.

Which component supports the SRX Series devices in this scenario?

- A. Security Director
- B. RADIUS server
- C. certificate server
- D. DHCP server

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/release-independent/solutions/topics/concept/sg-006a-sdsn-product-components.html

QUESTION 3

Which two protocols are supported natively by the Junos automation stack? (Choose two.)

- A. NETCONF
- B. PyEZ
- C. Jenkins
- D. CIP

Correct Answer: AB

**QUESTION 4**

You want to deploy a VPN that will connect branch locations to the main office. You will eventually add additional branch locations to the topology, and you must avoid additional configuration on the hub when those sites are added.

In this scenario, which VPN solution would you recommend?

- A. Site-to-Site VPN
- B. Hub-and-Spoke VPN
- C. AutoVPN
- D. Group VPN

Correct Answer: C

Reference: <https://www.juniper.net/assets/us/en/local/pdf/solutionbriefs/3510477-en.pdf>

QUESTION 5

You are creating a security design proposal for an enterprise customer. As part of the design, you are implementing 802.1x authentication on your EX Series devices.

In this scenario, which two statements are correct? (Choose two.)

- A. The supplicant is the device that prevents the authenticator's access until it is authenticated
- B. The supplicant is the device that is being authenticated
- C. The authenticator is the device that is being authenticated
- D. The authenticator is the device that prevents the supplicant's access until it is authenticated

Correct Answer: BD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/802-1x-authenticationswitching-devices.html

[Latest JN0-1332 Dumps](#)

[JN0-1332 Study Guide](#)

[JN0-1332 Exam Questions](#)