



JN0-1361^{Q&As}

Service Provider Design Specialist (JNCDS-SP)

Pass Juniper JN0-1361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-1361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Your customer connects to their service providers using fiber-based Ethernet connections in a shared collocation room. The customer has expressed concerns about wire tapping and man-in-the-middle attacks, and has asked for your design recommendation to minimize such attacks.

Which service addresses the customer's concern?

- A. 802 1x
- B. MACsec
- C. BGPFlowSpec
- D. 802 3ad

Correct Answer: B

QUESTION 2

Your customer is deploying a data center with redundant connections for WAN services through ISP-1 and ISP-2. Your customer has decided to deploy an active/passive Internet connection uplink model and pay-per-use for a passive connection associated with ISP-2. The customer wants to ensure limited use of the connection through ISP-2. Which two actions would you perform to meet the objective? (Choose two)

- A. Extend the AS Path length on the prefix advertised to ISP-1 to influence ingress traffic to enter through ISP-1.
- B. Use MED and Origin to direct northbound traffic flows out ISP-1
- C. Extend the AS Path length on the prefix advertised to ISP-2 to influence ingress traffic to enter through ISP-1.
- D. Use Local Preference to direct northbound traffic flows out ISP-1

Correct Answer: CD

QUESTION 3

MPLS services are being delivered from provider edge (PE) routers Each PE is connected to multiple customer edge (CE) routers.

What should you use on the PE to isolate customer routes?

- A. VPN routing and forwarding tables
- B. access control lists
- C. external BGP



D. port access control lists

Correct Answer: A

QUESTION 4

You work for an organization providing hosting services for customer application VMs. Traditionally, your organization maintained isolation between customer workloads by assigning unique VLAN IDs to each customer network. Your organization is approaching the upper limit of 4094 VLANs available to uniquely identify customer networks. You need to alleviate this limitation and provide more than 4094 unique network identifiers. Which technology would satisfy these requirements?

- A. VXLAN
- B. MPLS
- C. MP-BGP
- D. EVPN

Correct Answer: A

QUESTION 5

You work for a service provider and are designing an L3VPN with Internet access solution for a customer using Provider Independent (PI) IPv6 space.

Which networking designs will work for this customer?

- A. Use NAT64 to convert PI space to your public IPv6 space, set up 6VPE routing instances on your PE routers for the customer.
- B. Use NAT64 to convert PI space to IPv4 internet addresses, set up 6VPE routing instances on your PE routers for the customer.
- C. Use NAT66 to convert PI space to your public IPv6 space, set up 6PE on your PE routers to transport IPv6 traffic natively.
- D. Use NAT64 to convert PI space to IPv4 Internet addresses, set up 6PE on your PE routers to transport IPv4 traffic natively.

Correct Answer: B

[JN0-1361 PDF Dumps](#)

[JN0-1361 Practice Test](#)

[JN0-1361 Braindumps](#)