



JN0-332^{Q&As}

Juniper Networks Certified Internet Specialist, SEC (JNCIS-SEC)

Pass Juniper JN0-332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You want to test a configured screen value prior to deploying.

Which statement will allow you to accomplish this?

- A. [edit security screen] user@host# show ids-option untrust-screen { alarm-test-only; }
- B. [edit security screen] user@host# show ids-option untrust-screen {
alarm-without-drop;
}
- C. [edit security screen] user@host# show ids-option untrust-screen { alarm-no-drop; }
- D. [edit security screen] user@host# show ids-option untrust-screen { test-without-drop; }

Correct Answer: B

QUESTION 2

What are two rulebase types within an IPS policy on an SRX Series device? (Choose two.)

- A. rulebase-ips
- B. rulebase-ignore
- C. rulebase-idp
- D. rulebase-exempt

Correct Answer: AD

QUESTION 3

What is the purpose of an address book?

- A. It holds security policies for particular hosts.
- B. It holds statistics about traffic to and from particular hosts.
- C. It defines the hosts in a zone so they can be referenced by policies.
- D. It maps hostnames to IP addresses to serve as a backup to DNS resolution.

Correct Answer: C

QUESTION 4



Which two statements describe full file-based antivirus protection? (Choose two.)

- A. By default, the signature database is updated every 60 minutes.
- B. By default, the signature database is updated once daily.
- C. The signature database targets only critical viruses and malware.
- D. The signature database can detect polymorphic virus types.

Correct Answer: AD

QUESTION 5

-- Exhibit -

```
[edit security policies from-zone untrust to-zone junos-host] user@host# show
```

```
policy allow-management {
```

```
match {
```

```
source-address any;
```

```
destination-address any;
```

```
application any;
```

```
}
```

```
then {
```

```
permit;
```

```
}
```

```
}
```

```
[edit security zones security-zone untrust]
```

```
user@host# show
```

```
host-inbound-traffic {
```

```
protocols {
```

```
ospf;
```

```
}
```

```
}
```

```
interfaces {
```

```
ge-0/0/0.0;
```



}

-- Exhibit -

Click the Exhibit button.

Referring to the exhibit, you want to be able to manage your SRX Series device from the Internet using SSH. You have created a security policy to allow the traffic to flow into the SRX device.

Which additional configuration step is required?

- A. Define the junos-host zone and add the SSH service to it.
- B. Add the SSH service to the untrust zone.
- C. Define the junos-host zone, add the SSH service and the loopback interface to it.
- D. Rewrite the security policy to allow SSH traffic from the untrust zone to the global zone.

Correct Answer: B

[Latest JN0-332 Dumps](#)

[JN0-332 Exam Questions](#)

[JN0-332 Braindumps](#)