



JN0-333^{Q&As}

Security, Specialist (JNCIS-SEC)

Pass Juniper JN0-333 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-333.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which SRX5400 component is responsible for performing first pass security policy inspection?

- A. Routing Engine
- B. Switch Control Board
- C. Services Processing Unit
- D. Modular Port Concentrator

Correct Answer: C

QUESTION 2

Click the exhibit button.



```
user#host> show interface ge-0/0/1 extensive | find Zone
Security: Zone: Null
Allowed host-inbound traffic: any-service bfd bgp dvmrp icmp ldp madp nhrp
ospf pgm pim rip router-discovery rsvp sap vrrp
Flow Statistics:
Flow Input statistics:
  Self packets: 0
  ICMP packets: 0
  VPN packets: 0
  Multicast packets: 0
  Bytes permitted by policy: 0
  Connections established: 0
Flow Output statistics:
  Multicast packets: 0
  Bytes permitted by policy: 0
Flow error statistics (Packets dropped due to):
  Address spoofing: 0
  Authentication failed: 0
  Incoming NAT errors: 0
  Invalid zone received packet: 0
  Multiple user authentications: 0
  Multiple incoming NAT: 0
  No parent for a gate: 0
  No one interested in self packets: 0
  No minor session: 0
  No more sessions: 0
  No NAT gate: 0
  No route present: 0
  No SA for incoming SPI: 0
  No tunnel found: 0
  No session for a gate: 0
  No zone or NULL zone binding 68
  Policy denied: 0
  Security associated not active: 0
  TCP sequence number out of window: 0
  Syn-attack protection: 0
  User authentication errors: 0
Protocol inet, MTU: 1500, Generation: 162, Route table: 0
  Flags: Sendbcst-pkt-to-re
  Addresses, Flags: Is-Preferred Is-Primary
    Destination: 5.0.0/24, Local: 5.0.0.5, Broadcast: 5.0.0.255,
    Generation: 158
Protocol iso, MTU: 1497, Generation: 163, Route table: 0
  Flags: Is-Primary
```

Referring to the exhibit, which statement is true?

- A. Packets entering the interface are being dropped because of a stateless filter.
- B. Packets entering the interface matching an ALG are getting dropped.
- C. TCP packets entering the interface are failing the TCP sequence check.
- D. Packets entering the interface are getting dropped because the interface is not bound to a zone.

Correct Answer: D

**QUESTION 3**

Your internal webserver uses port 8088 for inbound connections. You want to allow external HTTP traffic to connect to the webserver.

Which two actions would accomplish this task? (Choose two.)

- A. Create a custom application for port 8088 and create a security policy that permits the custom-http application.
- B. Remap port 80 to port 8088 in the junos-http application and create a security policy that permits the junos-http application.
- C. Use destination NAT to remap incoming traffic from port 80 to port 8088.
- D. Create an Application Layer Gateway to permit HTTP traffic on port 8088.

Correct Answer: AC

QUESTION 4

Click the Exhibit button.

```
user@host> show chassis cluster status redundancy-group 1
Cluster: 1, Redundancy-Group: 1
Device name      Priority      Status      Preempt  Manual  failover
node0            0            Secondary   No       No
node1            200          Primary     No       No
```

Which two statements describe the output shown in the exhibit? (Choose two.)

- A. Node 0 is controlling traffic for redundancy group 1.
- B. Node 1 is controlling traffic for redundancy group 1.
- C. Redundancy group 1 experienced an operational failure.
- D. Redundancy group 1 was administratively failed over.

Correct Answer: BD

QUESTION 5

Click the Exhibit button.



```
user@host> show security ike active-peer detail

Peer address: 31.0.0.6, Port: 500,
Peer IKE-ID: C=US, ST=California, L=Sunnyvale, O=Example, OU=sales, CN=SPOKE9061
XAUTH username: not available
Assigned network attributes:
IP Address: 0.0.0.0, netmask : 0.0.0.0
DNS Address : 0.0.0.0, DNS2 Address : 0.0.0.0
WINS Address : 0.0.0.0, WINS2 Address : 0.0.0.0

Previous Peer address : 0.0.0.0, Port : 0
Active IKE SA indexes : 75203629
IKE SA negotiated : 1
IPSec tunnels active : 1, IPSec Tunnel IDs : 68157442

DPD Config Info : Mode: always-send Interval: 60 Threshold: 5 plsa_index:75203629
DPD Statistics : DPD-flags: REMOTE_ACCESS
DPD Statistics : DPD TTL : 0 DPD seq-no : 0
DPD Statistics : DPD Req Sent : 0 DPD Resp Rcvd : 0
```

A customer would like to monitor their VPN using dead peer detection.

Referring to the exhibit, for how many minutes was the peer down before the customer was notified?

- A. 5
- B. 3
- C. 4
- D. 2

Correct Answer: A

[JN0-333 PDF Dumps](#)

[JN0-333 VCE Dumps](#)

[JN0-333 Practice Test](#)