

JN0-334^{Q&As}

Security-Specialist (JNCIS-SEC)

Pass Juniper JN0-334 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/jn0-334.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You have deployed JSA and you need to view events and network activity that match rule criteria. You must view this data using a single interface.

Which JSA feature should you use in this scenario?

- A. Log Collector
- B. Assets
- C. Network Activity
- D. Offense Manager
- Correct Answer: C

QUESTION 2

Which two statements describe client-protection SSL proxy on an SRX Series device? (Choose two.)

- A. The server-protection SSL proxy intercepts the server certificate.
- B. The server-protection SSL proxy is also known as SSL reverse proxy.
- C. The server-protection SSL proxy forwards the server certificate after modification.
- D. The server-protection SSL proxy acts as the server from the client\\'s perspective.

Correct Answer: BD

QUESTION 3

Which default protocol and port are used for JIMS to SRX client communication?

- A. WMI over TCP; port 389
- B. ADSI over TCP; port 389
- C. HTTPS over TCP: port 443
- D. RPC over TCP, port 135

```
Correct Answer: C
```

Reference: https://www.juniper.net/documentation/en_US/jims/topics/task/configuration/jims-certificateconfiguring.html#:~:text=By%20default%2C%20the%20HTTPS%20port%20is%20443.andtext=The%20JIMS



%20server%20communicates%20with,Firewall%20to%20allow%20this%20communication

QUESTION 4

What is the default session timeout value for ICMP and UDP traffic?

- A. 30 seconds
- B. 30 minutes
- C. 60 seconds
- D. 5 minutes
- Correct Answer: C

QUESTION 5

Click the Exhibit button.

Exhibit	×
user@srx> show log messages match RT_FLOW_SESSION Jun 3 00:36:41 vSRX-1 RT_FLOW: RT_FLOW_SESSION_CREATE: sessi 172.18.2.1/ 57929->10.10.101.10/21 0×0 junos-ftp 172.18.2.1/57929->10.10 N/A N/A N/A 6 untrust-to-trust(global) untrust trust 19307 N UNKNONW UNKNOWN UNKNOWN N/A N/A -1	ion created 0.101.10/21 0×0 N/A

The output shown in the exhibit is displayed in which format?



- A. syslog
- B. sd-syslog
- C. binary
- D. WELF
- Correct Answer: A

JN0-334 PDF Dumps

JN0-334 Exam Questions

JN0-334 Braindumps