



# JN0-334<sup>Q&As</sup>

Security-Specialist (JNCIS-SEC)

## Pass Juniper JN0-334 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-334.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What are two examples of RTOs? (Choose two.)

- A. IPsec SA entries
- B. session table entries
- C. fabric link probes
- D. control link heartbeats

Correct Answer: CD

---

### QUESTION 2

When working with network events on a Juniper Secure Analytics device, flow records come from which source?

- A. tap port
- B. SPAN
- C. switch
- D. mirror

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/jsa7.3.1/jsa-arch-deployment-guide/topics/concept/jsa-ad-jsa-events-and-flows.html](https://www.juniper.net/documentation/en_US/jsa7.3.1/jsa-arch-deployment-guide/topics/concept/jsa-ad-jsa-events-and-flows.html)

---

### QUESTION 3

You are deploying the Junos application firewall feature in your network.

In this scenario, which two elements are mapped to applications in the application system cache? (Choose two.)


- A. destination port
- B. source port
- C. destination IP address
- D. source IP address

Correct Answer: AC

---

**QUESTION 4**

Click the Exhibit button.



```
[edit system syslog]
user@srx# show
host 10.210.14.130 {
    user info;
    source-address 10.210.14.133;
}
```


Referring to the configuration shown in the exhibit, which two statements are true? (Choose two.)

- A. The log is being stored on the local Routing Engine.
- B. The log is being sent to a remote server.
- C. The syslog is configured for a user facility.
- D. The syslog is configured for an info facility.

Correct Answer: BC

**QUESTION 5**

Click the Exhibit button.



You have implemented SSL proxy client protection. After implementing this feature, your users are complaining about the warning message shown in the exhibit.

Which action must you perform to eliminate the warning message?

- A. Configure the SRX Series device as a trusted site in the client Web browsers.
- B. Regenerate the SRX self-signed CA certificate and include the correct organization name.
- C. Import the SRX self-signed CA certificate into the client Web browsers.
- D. Import the SRX self-signed CA certificate into the SRX certificate public store.

Correct Answer: C

[JN0-334 VCE Dumps](#)

[JN0-334 Practice Test](#)

[JN0-334 Exam Questions](#)