



JN0-343^{Q&As}

Juniper Networks Certified Internet Specialist (JNCIS-ENT)

Pass Juniper JN0-343 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-343.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which BGP configuration option is required when peering with an IBGP neighbor using loopback addresses?

- A. local-address
- B. local-interface
- C. update-source
- D. source-address

Correct Answer: A

QUESTION 2

Click on the Exhibit button.

```
user@router> show route protocol bgp 1.1.1.0/24 detail

inet.0: 8 destinations, 9 routes (8 active, 0 holddown, 0 hidden)
1.1.1.0/24 (2 entries, 1 announced)
  *BGP      Preference: 170/-101
            Next hop type: Router, Next hop index: 461
            Next-hop reference count: 2
            Source: 192.168.14.1
            Next hop: 192.168.14.1 via ge-0/0/0.0, selected
            State: <Active Ext>
            Local AS:      2 Peer AS:      3
            Age: 37        Metric: 56
            Task: BGP_3.192.168.14.1+62366
            Announcement bits (1): 0-KRT
            AS path: 3 47 19 87 I
            Localpref: 100
            Router ID: 10.25.30.1
  BGP      Preference: 170/-101
            Next hop type: Router, Next hop index: 462
            Next-hop reference count: 1
            Source: 192.168.14.6
            Next hop: 192.168.14.6 via ge-0/0/1.0, selected
            State: <NotBest Ext>
            Local AS:      2 Peer AS:      3
            Age: 28        Metric: 60
            Task: BGP_3.192.168.14.6+50778
            AS path: 3 19 103 655 I
            Localpref: 100
            Router ID: 10.25.30.3
```

Based on the exhibit, which step in the BGP route-selection process causes the router to choose the selected path?



- A. MED
- B. metric to next hop
- C. local preference
- D. neighbor ID

Correct Answer: A

QUESTION 3

Which feature will cause the port to transition into a blocking state when BPDUs are no longer being received?

- A. RSTP
- B. BPDU protection
- C. loop protection
- D. root protection

Correct Answer: C

QUESTION 4


Which two statements describe STP and RSTP interoperability? (Choose two.)

- A. STP protocol discards any RSTP BPDUs it receives.
- B. STP protocol accepts RSTP BPDUs but will not respond.
- C. RSTP accepts STP BPDUs and responds with STP BPDUs.
- D. RSTP discards STP BPDUs.

Correct Answer: AC

QUESTION 5

-- Exhibit ?



-- Exhibit -You are required to configure a static route to 10.0.100.1 on R1. The traffic must flow through R3.

Referring to the exhibit, which static route configuration parameter meets this requirement?

- A. install
- B. retain
- C. qualified-next-hop
- D. resolve

Correct Answer: D

[JN0-343 VCE Dumps](#)

[JN0-343 Exam Questions](#)

[JN0-343 Brindumps](#)