



# JN0-343<sup>Q&As</sup>

Juniper Networks Certified Internet Specialist (JNCIS-ENT)

## Pass Juniper JN0-343 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-343.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A company's Junos-based router has two EBGP peers and receives two BGP update messages with the following information:

Peer A - AS path [ 65001 64513 12 ] ; MED 67 ; origin value 1

Peer B - AS path [ 65002 64513 12 ] ; MED 70 ; origin value 2

Assuming default values, how will the company router react to these updates?

- A. The path through Peer A will be preferred for all traffic to that destination.
- B. The path through Peer B will be preferred for all traffic to that destination.
- C. The paths will be load balanced to that destination based on a Layer 3 hash.
- D. The company router marks the routes as hidden to that destination because the MED exceeds 63.

Correct Answer: A

---

**QUESTION 2**

```
-- Exhibit -[edit protocols rstp] user@switch# show bridge-priority 32k;
```

```
max-age 20;
```

```
hello-timer 2;
```

```
forward-delay 15;
```

```
interface ge-0/0/11.0 {
```

```
disable;
```

```
}
```

```
interface ge-0/0/12.0 {
```

```
cost 20000;
```

```
mode point-to-point;
```

```
}
```

```
interface ge-0/0/13.0 {
```

```
priority 128;
```

```
mode shared;
```

```
}
```



```
interface ge-0/0/14.0 {  
edge;  
}
```

```
bpdu-block-on-edge;
```

-- Exhibit -The exhibit shows the RSTP configuration for your EX Series switch. The switch begins receiving BPDUs on a port and disables that port.

Which port is disabled?

- A. ge-0/0/11.0
- B. ge-0/0/12.0
- C. ge-0/0/13.0
- D. ge-0/0/14.0

Correct Answer: D

---

### QUESTION 3

Depending on the link type, OSPF sends link state update packets to which two addresses\'

(Choose two.)

- A. 224.0.0.6
- B. 224.0.0.5
- C. 224.0.0.8
- D. 224.0.0.9

Correct Answer: AB

---

### QUESTION 4

Which statement is true about IS-IS hello (IIH) PDUs?

- A. The same IIH PDU is used for both point-to-point and broadcast networks.
- B. IIH PDUs maintain the link-state database synchronization.
- C. IIH PDUs provide the priority value used in DIS election.
- D. IIH PDUs are transmitted only at the beginning of adjacency establishment.

Correct Answer: C

---

**QUESTION 5**

Which type of route is shown in the following output?

```
user@router> show route 0/0 exact

inet.0: 18 destinations, 18 routes (18 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

0.0.0.0/0          *[Aggregate/130] 03:03:43
                   > to 10.0.0.6 via ge-0/0/0.102
```

- A. generate
- B. aggregate
- C. static
- D. floating static

Correct Answer: A

[Latest JN0-343 Dumps](#)

[JN0-343 Study Guide](#)

[JN0-343 Exam Questions](#)