



JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```
[edit protocols bgp]
user@router# show
preference 150;
keep all;
mtu-discovery;
export static-1;
remove-private;
tcp-mss 4096;
group one {
    export static-2;
    peer-as 2;
    neighbor 10.1.0.1 {
        export static-3;
    }
}
group two {
    type internal;
    local-address 192.168.1.11;
    export static-4;
    local-as 1;
    neighbor 192.168.1.12;
    neighbor 192.168.1.13
}
```

Referring to the exhibit, which policy will export routes to IBGP peers?

- A. static-3
- B. static-4
- C. static-1



D. static-2

Correct Answer: B

QUESTION 2

Which three mechanisms are associated with the bridging process? (Choose three.)

A. blocking

B. flooding

C. aging

D. filtering

E. listening

Correct Answer: BCD

QUESTION 3

Click the Exhibit button.



```
user@switch> show interfaces ae0
error: device ae0 not found

user@switch> show configuration
...
chassis {
    nssu;
}
interfaces {
    ge-0/0/3 {
        ether-options {
            802.3ad ae0;
        }
    }
    ge-1/0/4 {
        ether-options {
            802.3ad ae0;
        }
    }
}
ae0 {
    unit 0 {
        family ethernet-switching {
            vlan {
                members default;
            }
        }
    }
}
vlans {
    default {
        vlan-id 1;
    }
}
}
```

Referring to the exhibit, what is the problem?

- A. The LAG member interfaces are configured across different line cards
- B. LAG requires more than two member links
- C. LACP is required for LAG to work
- D. Aggregated interfaces must be defined under the chassis stanza

Correct Answer: D



QUESTION 4

How many bytes of overhead forms an IP-IP tunnel add to a packet?

- A. 20 bytes
- B. 24 bytes
- C. 28 bytes
- D. 14 bytes

Correct Answer: A

QUESTION 5

Which two OSPF header fields must match to form an adjacency over a broadcast connection? (Choose two.)

- A. router priority
- B. options
- C. hello interval
- D. neighbor

Correct Answer: BC

[JN0-348 PDF Dumps](#)

[JN0-348 VCE Dumps](#)

[JN0-348 Study Guide](#)