



# JN0-348<sup>Q&As</sup>

Enterprise Routing and Switching, Specialist

## Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-348.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What are two reasons for configuring more than one VLAN on a switch? (Choose two.)

- A. A group of clients requires that security be applied to traffic entering or exiting the group's devices.
- B. A group of devices must forward traffic across a WAN.
- C. A group of devices are connected to the same Layer 3 network.
- D. A group of clients requires that the group's devices receive less broadcast traffic than they are currently receiving.

Correct Answer: AD

---

### QUESTION 2

What are two interarea OSPF LSA types? (Choose two.)

- A. Type 1 router LSAs
- B. Type 3 summary LSAs
- C. Type 4 ASBR summary LSAs
- D. Type 2 network LSAs

Correct Answer: BC

---

### QUESTION 3

What is the default BGP group type on a Junos device?

- A. internal
- B. external
- C. multihop
- D. null

Correct Answer: B

---

### QUESTION 4

Click the Exhibit button.



```
user@router> show ospf database
```

```
OSPF database, Area 0.0.0.0
Type      ID          Adv Rtr      Seq          Age  Opt  Cksum  Len
Router   *172.16.248.14  172.16.248.14  0x8000000c   10  0x22 0x4a3d  36
Router    172.16.248.213  172.16.248.213  0x80000002  331  0x22 0xd32f  36
Network *172.16.248.214  172.16.248.14  0x80000001   10  0x22 0x4459  32
```

Referring to the exhibit, what do the asterisks (\*) indicate?

- A. The entries are new
- B. The entries are stale
- C. The router originated the entries
- D. The router received the entries

Correct Answer: C

#### QUESTION 5

You are adding a new EX4300 member switch to your existing EX4300 Virtual Chassis. However, the new member is not running the same Junos version as the other members.

By default, what is the expected behavior in this scenario?

- A. the Virtual Chassis will transition into a split brain situation between the existing master Routing Engine and the switch running the different version.
- B. The new switch will automatically pull the correct version from the master Routing Engine and perform the necessary upgrade.
- C. The new switch will be assigned a member ID and then placed in an inactive state.
- D. The new switch is not recognized by the Virtual Chassis.

Correct Answer: C

[JN0-348 PDF Dumps](#)

[JN0-348 VCE Dumps](#)

[JN0-348 Practice Test](#)