



JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which static route next-hop value indicates that the packet will be silently dropped?

- A. resolve
- B. discard
- C. reject
- D. next-table

Correct Answer: B

QUESTION 2

Click the Exhibit button.

```
[edit routing-options]
user@host# show
static {
    defaults {
        preference 180;
    }
    route 0.0.0.0/0 {
        next-hop 172.30.25.1;
        qualified-next-hop 172.30.25.5 {
            preference 7;
        }
    }
}
```

Which statement is true about the configuration shown in the exhibit?

- A. The preference for the 172.30.25.1 next hop is 5.
- B. The preferred next hop is 172.30.25.5.
- C. The preference for the 172.30.25.1 next hop is 7.



D. 172.30.25.1 is the preferred next hop.

Correct Answer: B

QUESTION 3

When configuring firewall filters, which function does the interface-specific parameter enable on an EX Series switch?

- A. The interface-specific parameter is required to configure port-specific counters.
- B. The interface-specific parameter is required to configure VLAN-specific counters.
- C. The interface-specific parameter is required to configure VLAN-based filters.
- D. The interface-specific parameter is required to configure port-based firewall filters.

Correct Answer: A

QUESTION 4

Click the Exhibit button.

```
[edit protocols isis]
user@router-1# show
level 2 disable;
level 1 wide-metrics-only;
interface all;
```

```
[edit protocols isis]
user@router-2# show
level 1 disable;
interface all;
```

Referring to the exhibit, what will be the IS-IS adjacency result of the configurations?

- A. No IS-IS adjacencies will form.
- B. A level 1 and level 2 IS-IS adjacency will form.
- C. A level 2 IS-IS adjacency will form.



D. A level 1 IS-IS adjacency will form.

Correct Answer: A

QUESTION 5

What are two reasons for configuring more than one VLAN on a switch? (Choose two.)

- A. A group of clients requires that security be applied to traffic entering or exiting the group's devices.
- B. A group of devices must forward traffic across a WAN.
- C. A group of devices are connected to the same Layer 3 network.
- D. A group of clients requires that the group's devices receive less broadcast traffic than they are currently receiving.

Correct Answer: AD

[JN0-348 VCE Dumps](#)

[JN0-348 Study Guide](#)

[JN0-348 Exam Questions](#)