



JN0-349^{Q&As}

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-349.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.



You have created a GRE tunnel as shown in the exhibit. The router with tunnel endpoint A is dropping the packets originating from User A and destined to User B.

What would cause this problem?

- A. Endpoint A has the internet-options gre-path-mtu-discovery parameter enabled.
- B. User A requested fragmentation and Endpoint A has the clear-dont-fragment-bit parameter enabled.
- C. Endpoint A is missing a policy statement that allows User A's traffic into the tunnel.
- D. User A is sending maximum size default Ethernet frames with the DF bit enabled.

Correct Answer: D

QUESTION 2

Which two statements about the default load-balancing behavior for the Junos OS are correct? (Choose two.)

- A. By default, the Junos OS performs a per-packet load-balancing operation.
- B. By default, the Junos OS installs multiple equal-cost next hops in the forwarding table for a destination prefix.
- C. By default, the Junos OS selects one of the equal-cost next hops for received destination prefixes.
- D. By default, all Packet Forwarding Engine slots are assigned the same hash value on the Junos device.

Correct Answer: CD

QUESTION 3

What are three reasons a router would send out an IS-IS link-state PDU? (Choose three.)



- A. A new external route is imported from BGP.
- B. The router's link to a neighbor goes down.
- C. A new neighbor exists on the link.
- D. The cost of a link to an existing neighbor has changed.
- E. IS-IS sends link-state PDUs at random intervals.

Correct Answer: BCD

QUESTION 4

You have an OSPF NSSA area that is also receiving IS-IS routes on the ASBR.

In this scenario, which LSA type is used to announce external IS-IS routes?

- A. Type 7
- B. Type 8
- C. Type 1
- D. Type 4

Correct Answer: A

QUESTION 5

Click the Exhibit button.

```
user@router> show route 192.168.60.0/22
inet.0: 13 destinations, 13 routes (13 active, 0 holddown, 0 hidden)
  + = Active Route, - = Last Active, * = Both
192.168.60.0/22 *[Aggregate/130] 00:02:30
    > to 192.168.1.1 via ge-0/0/1.0
```

Which type of route is shown in the exhibit?

- A. generated
- B. direct
- C. aggregate
- D. static

Correct Answer: A



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/jn0-349.html>

2024 Latest pass4itsure JN0-349 PDF and VCE dumps Download

[Latest JN0-349 Dumps](#)

[JN0-349 VCE Dumps](#)

[JN0-349 Exam Questions](#)