



JN0-351^{Q&As}

Enterprise Routing and Switching Specialist (JNCIS-ENT)

Pass Juniper JN0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-351.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1


Which two statements are true about a unified in-service software upgrade (ISSU)? (Choose two.)

- A. The graceful Routing Engine switchover (GRES) and nonstop active routing (NSR) features must be enabled.
- B. It is possible to take PICs offline or bring them online during a unified ISSU.
- C. Unified ISSU is only supported by the dual Routing Engine platforms.
- D. The master Routing Engine and backup Routing Engine can be running different Junos versions before performing a unified ISSU.

Correct Answer: AC

QUESTION 2

Referring to the exhibit, which devices will receive the packet sent by User B?



- A. User A and User D
- B. User C and User D
- C. User C
- D. User C, User A, and User D



Correct Answer: B

QUESTION 3

Which two statements about Martian addresses are correct? (Choose two.)

- A. Martian addresses require a route prefix match type.
- B. Martian addresses are not installed in the routing table by default.
- C. Martian addresses can only be applied to the inet.0 routing table.
- D. Martian addresses are installed in the routing table by default.

Correct Answer: AB

QUESTION 4

Click the Exhibit button.

```
[edit protocols bgp]
user@router# show
import add-community;
export next-hop-self;
group ISPs {
    type external;
    import local-pref;
    export adv-aggregate;
    neighbor 172.30.1.1 {
        peer-as 65100;
    }
    neighbor 172.30.2.1 {
        export adv-custom;
        peer-as 65200;
    }
}
group Internal-Peers {
    type internal;
    neighbor 192.168.110.10;
    neighbor 192.168.110.20;
}
```

Which statement is true about the configuration shown in the exhibit?



- A. Only the next-hop-self export policy will be evaluated when routes are sent to neighbor 172.30.1.1.
- B. Both the adv-aggregate and adv-custom export policies will be evaluated when routes are sent to neighbor 172.30.2.1.
- C. Both the adv-aggregate and next-hop-self export policies will be evaluated when routes are sent to neighbor 172.30.1.1.
- D. Only the adv-custom export policy will be evaluated when routes are sent to neighbor 172.30.2.1.

Correct Answer: D

QUESTION 5

The next hop for the route is not reachable.

In this scenario, what are two ways that BGP handles this route? (Choose two.)

- A. The route is placed into the forwarding table as an inactive route.
- B. The route is not placed into the forwarding table.
- C. The route is placed into the routing table as a hidden route.
- D. The route is placed into the forwarding table as a hidden route.

Correct Answer: BC

[JN0-351 PDF Dumps](#)

[JN0-351 Study Guide](#)

[JN0-351 Exam Questions](#)