



JN0-361^{Q&As}

Service Provider Routing and Switching, Specialist Exam

Pass Juniper JN0-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two problems occur when increasing numbers of users are added to an Ethernet LAN with no switches present? (Choose two.)

- A. There is a greater chance for collisions to occur
- B. The MAC table sizes increase
- C. Some devices will not see certain traffic
- D. There is unnecessary consumption of network bandwidth

Correct Answer: AD

QUESTION 2

Router A is an OSPF router connected to both Area 0 and Area 1. Area 1 has been configured as a stub area. Which two LSA types does Router A suppress from Area 1?

- A. Router LSA
- B. External LSA
- C. Summary LSA
- D. ASBR Summary LSA

Correct Answer: BD

QUESTION 3

You want to ensure that your RSVP LSPs are following a particular path across the network. Which RSVP object ensures that your desire will be met?

- A. explicit route object
- B. record route object
- C. session object
- D. traffic specification object

Correct Answer: A

QUESTION 4

-- Exhibit -



```
user@router# show interfaces
```

```
xe-0/0/0 {
```

```
unit 0 {
```

```
family inet {
```

```
address 192.168.12.1/24;
```

```
}
```

```
family mpls;
```

```
}
```

```
}
```

```
xe-0/0/1 {
```

```
encapsulation ethernet-ccc;
```

```
unit 0 {
```

```
family ccc;
```

```
}
```

```
}
```

```
lo0 {
```

```
unit 0 {
```

```
family inet {
```

```
address 1.1.1.1/32;
```

```
}
```

```
}
```

```
}
```

```
[edit]
```

```
user@router# show protocols
```

```
mpls {
```

```
interface all;
```

```
}
```

```
ospf {
```

```
traffic-engineering;
```



```
area 0.0.0.0 {  
interface all;  
}  
}  
ldp {  
interface all;  
}  
l2circuit {  
neighbor 2.2.2.2 {  
interface xe-0/0/1.0 {  
}  
}  
}
```

-- Exhibit -

Click the Exhibit button.

In the exhibit, which configuration element is missing to bring up the Layer 2 circuit?

- A. the route target
- B. the virtual circuit ID
- C. a targeted LDP session
- D. an MPLS LSP

Correct Answer: B

QUESTION 5

What are two valid statements for virtual switches on MX Series devices? (Choose two.)

- A. Integrating routing and bridging (IRB) interfaces are supported.
- B. Layer 2 interfaces are supported.
- C. Interfaces are inherently loop free.
- D. Trunk interfaces are not supported.

Correct Answer: AB



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/jn0-361.html>

2024 Latest pass4itsure JN0-361 PDF and VCE dumps Download

[JN0-361 VCE Dumps](#)

[JN0-361 Study Guide](#)

[JN0-361 Exam Questions](#)