



JN0-361^{Q&As}

Service Provider Routing and Switching, Specialist Exam

Pass Juniper JN0-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/jn0-361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**


An Ethernet bridge is configured such that all interfaces are in a single broadcast domain, by default. Which two tasks does the bridge perform in response to receiving a multicast frame? (Choose two)

- A. It learns the source MAC address
- B. It drops the frame
- C. It floods the frame out of all interfaces except the one on which it was received
- D. It floods the frame out of particular interfaces based on its multicast MAC table

Correct Answer: AC

QUESTION 2

-- Exhibit -



-- Exhibit -Click the Exhibit button.

In the exhibit, all switches run STP; however, the link between bridge G and bridge E fails.

What does root bridge A do after it receives information about this link failure?

- A. Root bridge A sets the acknowledge flag and sends an updated topology BPDU.



- B. Root bridge A sends a topology change notification BPDU.
- C. Root bridge A sets the topology change flag and sends an updated configuration BPDU.
- D. Root bridge A floods an updated BPDU topology database.

Correct Answer: C

QUESTION 3

Click the Exhibit button.



```
user@host> show bgp neighbor 5.0.0.5
Peer: 5.0.0.5+62303 AS 2          Local: 5.0.0.25+179 AS 3
Type: External      State: Established      Flags: <ImportEval Sync>
Last State: OpenConfirm      Last Event: RecvKeepAlive
Last Error: None
Options: <Multihop Preference AddressFamily PeerAS LocalAS Rib-group
Refresh>
Address families configured: inet-unicast inet-vpn-unicast
Holdtime: 90 Preference: 270 Local AS: 3 Local System AS: 0
Number of flaps: 0
Peer ID: 5.0.0.5          Local ID: 5.0.0.25          Active Holdtime: 90
Keepalive Interval: 30      Peer index: 0
BFD: disabled, down
NLRI for restart configured on peer: inet-unicast inet-vpn-unicast
NLRI advertised by peer: inet-unicast
NLRI for this session: inet-unicast
Peer supports Refresh capability (2)
Stale routes from peer are kept for: 300
Peer does not support Restarter functionality
NLRI that restart is negotiated for: inet-unicast
NLRI of received end-of-rib markers: inet-unicast
NLRI of all end-of-rib markers sent: inet-unicast
Peer supports 4 byte AS extension (peer-as 2)
Peer does not support Addpath
Table inet.0 Bit: 10001
RIB State: BGP restart is complete
Number of flaps: 0
Peer ID: 5.0.0.5          Local ID: 5.0.0.25          Active Holdtime: 90
Keepalive Interval: 30      Peer index: 0
BFD: disabled, down
NLRI for restart configured on peer: inet-unicast inet-vpn-unicast
NLRI advertised by peer: inet-unicast
NLRI for this session: inet-unicast
Peer supports Refresh capability (2)
Stale routes from peer are kept for: 300
Peer does not support Restarter functionality
NLRI that restart is negotiated for: inet-unicast
NLRI of received end-of-rib markers: inet-unicast
NLRI of all end-of-rib markers sent: inet-unicast
Peer supports 4 byte AS extension (peer-as 2)
Peer does not support Addpath
Table inet.0 Bit: 10001
RIB State: BGP restart is complete
Send state: in sync
Active prefixes:           0
Received prefixes:         0
Accepted prefixes:         0
Suppressed due to damping: 0
Advertised prefixes:       0
Last traffic (seconds): Received 5      Sent 5      Checked 5
Input messages:  Total 3 Updates 1 Refreshes 0 Octets 130
Output messages: Total 3 Updates 0 Refreshes 0 Octets 130
Output Queue[0]: 0
```

Which two statements are correct according to the output shown in the exhibit? (Choose two.)

- A. The peering session can pass inet-vpn routes.
- B. The peering session is enabled for multihop support.
- C. The peering session uses an altered route preference.



D. The peering session is enabled for multipath support.

Correct Answer: AB

A: From the exhibit we see:

Address families configured: inet-unicast inet-vpn-unicast

B: From the exhibit we find:

Options:

QUESTION 4

Which two routing-instance types are used for non-VPN-related applications? (Choose two.)

A. virtual-router

B. vrf

C. forwarding

D. vpls

Correct Answer: AC

QUESTION 5

Which three statements are true about GRE and IP-IP tunnels? (Choose three.)

A. All intermediary devices must have reachability to the tunnel endpoints.

B. Tunnel endpoints must use the loopback interface for reachability.

C. Tunnel endpoints must have a route that directs traffic into the tunnel.

D. Tunnel endpoints must have a route to the remote endpoint learned by a dynamic routing protocol.

E. Tunnel endpoints require a tunnel interface.

Correct Answer: ACE

[JN0-361 PDF Dumps](#)

[JN0-361 Exam Questions](#)

[JN0-361 Braindumps](#)